

AWARD/CONTRACT		1. This Contract Is A Rated Order Under DPAS (15 CFR 700)		Rating DXA4		Page 1 Of 39	
2. Contract (Proc. Inst. Ident) No. W56HZV-07-C-0375		3. Effective Date 2007MAY01		4. Requisition/Purchase Request/Project No. SEE SCHEDULE			
5. Issued By U.S. ARMY TACOM LCMC AMSTA-AQ-AHPB JILL POTTS LANHAM (586)574-8055 WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL		Code W56HZV	6. Administered By (If Other Than Item 5) DCMA DETROIT U.S. ARMY TANK & AUTOMOTIVE COMMAND (TACOM) ATTN: DCMAE-GJD WARREN, MI 48397-5000			Code S2305A	
e-mail address: JILL.P.LANHAM@US.ARMY.MIL		SCD A		PAS NONE		ADP PT HQ0337	
7. Name And Address Of Contractor (No. Street, City, County, State, And Zip Code) LOC PERFORMANCE PRODUCTS INC 13505 HAGGERTY ROAD PLYMOUTH, MI 48170-4251 TYPE BUSINESS: Other Small Business Performing in U.S.				8. Delivery <input checked="" type="checkbox"/> FOB Origin <input type="checkbox"/> Other (See Below)			
				9. Discount For Prompt Payment Net 30 Days			
				10. Submit Invoices (4 Copies Unless Otherwise Specified)		Item 12	
Code 1V513		Facility Code		To The Address Shown In:			
11. Ship To/Mark For DEF DIST DEPOT ANNISTON TRANS OFFICER 256-235-6031 7 FRANKFORD AVE BLDG 362 ANNISTON AL 36201-4199		Code SW3120	12. Payment Will Be Made By DFAS - COLUMBUS CENTER DFAS-CO/NORTH ENTITLEMENT OPERATION P.O. BOX 182266 COLUMBUS OH 43218-2266			Code HQ0337	
13. Authority For Using Other Than Full And Open Competition: <input type="checkbox"/> 10 U.S.C. 2304(c)() <input type="checkbox"/> 41 U.S.C. 253(c)()			14. Accounting And Appropriation Data ACRN: AA 97 X4930AC9D 6D 2571 S20113 W56HZV				
15A. Item No. SEE SCHEDULE	15B. Schedule Of Supplies/Services CONTRACT TYPE: Firm-Fixed-Price	15C. Quantity	15D. Unit	15E. Unit Price	15F. Amount		
				KIND OF CONTRACT: Supply Contracts and Priced Orders			
15G. Total Amount Of Contract						\$292,168.00	
16. Table Of Contents							
(X)	Section	Description	Page(s)	(X)	Section	Description	Page(s)
Part I - The Schedule				Part II - Contract Clauses			
X	A	Solicitation/Contract Form	1	X	I	Contract Clauses	31
X	B	Supplies or Services and Prices/Costs	4	Part III - List Of Documents, Exhibits, And Other Attachments			
X	C	Description/Specs./Work Statement	6	X	J	List of Attachments	39
X	D	Packaging and Marking	10	Part IV - Representations And Instructions			
X	E	Inspection and Acceptance	17		K	Representations, Certifications, and Other Statements of Offerors	
X	F	Deliveries or Performance	22				
X	G	Contract Administration Data	28				
X	H	Special Contract Requirements	29		L	Instrs., Conds., and Notices to Offerors	
					M	Evaluation Factors for Award	
Contracting Officer Will Complete Item 17 Or 18 As Applicable							
17. <input type="checkbox"/> Contractor's Negotiated Agreement (Contractor is required to sign this document and return _____ copies to issuing office.) Contractor agrees to furnish and deliver all items or perform all the services set forth or otherwise identified above and on any continuation sheets for the consideration stated herein. The rights and obligations of the parties to this contract shall be subject to and governed by the following documents: (a) this award/contract, (b) the solicitation, if any, and (c) such provisions, representations, certifications, and specifications, as are attached or incorporated by reference herein. (Attachments are listed herein.)				18. <input checked="" type="checkbox"/> Award (Contractor is not required to sign this document.) Your offer on Solicitation Number W56HZV07R0159 including the additions or changes made by you which additions or changes are set forth in full above, is hereby accepted as to the items listed above and on any continuation sheets. This award consummates the contract which consists of the following documents: (a) the Government's solicitation and your offer, and (b) this award/contract. No further contractual document is necessary.			
19A. Name And Title Of Signer (Type Or Print)				20A. Name Of Contracting Officer DARYL F. WITTE DARYL.F.WITTE@US.ARMY.MIL (586)574-7196			
19B. Name of Contractor By _____ (Signature of person authorized to sign)		19c. Date Signed		20B. United States Of America By _____ /SIGNED/ (Signature of Contracting Officer)		20C. Date Signed 2007MAY01	
NSN 7540-01-152-8069 PREVIOUS EDITIONS UNUSABLE				25-106 GPO : 1985 0 - 478-632		Standard Form 26 (Rev. 4-85) Prescribed By GSA-FAR (4.8 CFR) 53.214(a)	

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 2 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION A - SUPPLEMENTAL INFORMATION

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
A-1	52.204-4850 (TACOM)	ACCEPTANCE APPENDIX	MAR/2006

(a) Contract Number W56HZV-07-C-0375 is awarded to LOC Performance Products, Inc. The Government accepts your proposal dated April 9, 2007 in response to Solicitation Number: W56HZV-07-R-0159, signed by Mr. Rodger Vojcek, Vice President of your company.

(b) The contractor, in its proposal, provided data for various solicitation clauses, and that data has been added in this contract.

Additionally, in Section H - CLAUSE 52.245-4000 "ACCOUNTABILITY OF ITEMS UNDER OVERHAUL, MAINTENANCE AND REPAIR CONTRACTS" has been added and Attachment 001 titled "Used Arms Monthly Report" has been added in Section J.

(c) Any attachments not included within this document will be provided by TACOM-Warren directly to the administrative contracting officer (ACO) via e-mail, as required. Technical data packages that are only available on CD-ROM will be mailed by TACOM-Warren to the ACO. Within one week of this award, any office not able to obtain attachments from TACOM's website (<https://contracting.tacom.army.mil/>) and still requiring a copy, can send an email request to the buyer listed on the front page of this contract.

(d) The following Amendment(s) to the solicitation are incorporated into this contract: Amendment 0001.

[End of Clause]

A-2	52.201-4000 (TACOM)	TACOM-WARREN OMBUDSPERSON	JAN/2006
-----	------------------------	---------------------------	----------

Information regarding the TACOM-Warren Ombudsperson is located at the website <http://contracting.tacom.army.mil/acqinfo/ombudsperson.htm>

[End of Clause]

The purpose of Amendment 0001 for Solicitation W56HZV-07-R-0177 is to clarify language in the Statement of Work.

1. Points number 3, 4 and 5 in the Statement of Work have added or rewritten verbiage.
2. The closing date for the solicitation will not be extended.
3. All other terms and conditions will remain unchanged.

*** END OF NARRATIVE A 0001 ***

Amendment 0002 was created in error and cancelled.

*** END OF NARRATIVE A 0002 ***

PURPOSE: The purpose of Amendment 0003 to Solicitation W56ZHV-07-R-0159 is the following:

1. To request a Final Proposal Revision(FPR), pursuant to FAR 15.307, for a quantity of 472 each, NSN: 2530-01-531-9543, Part Number 12473351, Noun: Arm Assembly, Pivot, FOB: Origin.
2. The FPR must be firm, not subject to any contingency, and the offer must be valid through 8 JUN 2007.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 3 of 39
---------------------------	--	----------------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

3. The FPR must be sent electronically in accordance with clause 52.204-4016 "TACOM-Warren Electronic Contracting", paragraph A-2 on page 2 of the solicitation. The FPR must be submitted to the offers@tacom.army.mil or faxed to the TACOM Network fax server at datafax number 1-586-574-5527 ONLY. Failure to submit the FPR through these methods will result in a nonresponsible offer, rendering the FPR null and void. Do not send the FPR to the buyer.

4. The FPR must be received at the email/fax number, listed in paragraph 3, no later than 1:00pm Eastern Standard Daylight Savings Time on 9 April 2007.

5. Failure to submit the FPR by the time listed in paragraph 4 will result in a no bid response to the solicitation. The Government will NOT consider the original offer for award.

6. All other terms and conditions of solicitation W56HZV-07-R-0159 remain unchanged.

*** END OF NARRATIVE A 0003 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 4 of 39
--------------------	---	--------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	SECTION B - SUPPLIES OR SERVICES AND PRICES/COSTS NSN: 2530-01-531-9543 FSCM: 19207 PART NR: 12473351 SECURITY CLASS: Unclassified				
0001AA	<p><u>PRODUCTION QUANTITY</u></p> <p>472</p> <p>NOUN: ARM ASSEMBLY,PIVOT, PRON: EH7Y1315EH PRON AMD: 01 ACRN: AA AMS CD: 060015</p> <p>CLIN 0001AA is for refurbished parts.</p> <p>The Contractor shall perform the refurbishment of USED Road Arms in accordance with the Statement of Work in Section C, paragraph C-5.</p> <p>(End of narrative B001)</p> <p><u>Description/Specs./Work Statement</u> TOP DRAWING NR: 12473351 DATE: 21-NOV-2006</p> <p><u>Packaging and Marking</u> PACKAGING/PACKING/SPECIFICATIONS: FOR PACKAGING SEE PACKAGING CLAUSE 52.211-4515 UNIT PACK: 001 LEVEL PRESERVATION: Military LEVEL PACKING: A</p> <p><u>Inspection and Acceptance</u> INSPECTION: Origin ACCEPTANCE: Origin</p> <p><u>Deliveries or Performance</u> DOC SUPPL REL CD MILSTRIP ADDR SIG CD MARK FOR TP CD 001 W56HZV7031S852 SW3120 L 1 DEL REL CD QUANTITY DEL DATE 001 472 30-OCT-2007</p> <p>FOB POINT: Origin</p> <p>SHIP TO: (SW3120) DEF DIST DEPOT ANNISTON TRANS OFFICER 256-235-6031 7 FRANKFORD AVE BLDG 362 ANNISTON AL 36201-4199</p>	472	EA	\$ 619.00000	\$ 292,168.00

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
	<div>In respect to CLIN 0001AA for Award W56HZV-07-C-0375, it is expected that delivery of all units will be completed 150 days after receipt of Government Furnished Material(GFM). Estimated delivery of GFM is 30 days after award.</div> <div>(End of narrative F001)</div>				

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 6 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION C - DESCRIPTION/SPECIFICATIONS/WORK STATEMENT

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
C-1	52.211-4015 (TACOM)	CONFIGURATION CONTROL - ENGINEERING CHANGES	DEC/2005

- (a) DEFINITIONS:
- (1) Engineering Change Proposal (ECP). An ECP is a suggestion that we (the Government) permanently change some requirement of the Technical Data Package (TDP). ECPs can be issued before or during contract performance. NOTE: The current Government Standard allows us ninety days to process routine ECPs. If you (the contractor) need a response in less than ninety days to meet contract requirements, you should consider submitting a deviation along with your ECP.
- (2) Notice of Revision (NOR). A NOR describes the proposed changes to a technical document being requested by an ECP.
- (3) Value Engineering Change Proposal (VECP). A proposal that --
- (i) Requires a change to the instant contract; and
- (ii) Results in reducing the overall projected cost to the agency without impairing essential functions or characteristics; provided, that it does not involve a change --
- (A) In deliverable end item quantities only;
- (B) In research and development (R&D) end items or R&D test quantities that is due solely to results of previous testing under this contract; or
- (C) To the contract type only.
- (4) Request for Deviation (RFD). A RFD is a one-time request to deviate from TDP requirements. You must submit your deviation request once you realize that you desire to deviate from the TDP requirements. You can request a deviation for a specific number of parts or the entire contract quantity.
- (b) When will TACOM start processing change requests? TACOM won't start processing any ECP, VECP, or RFD until we receive the ACO's comments (see paragraph (e) below) and the ECP, VECP, or RFD documentation.
- (c) Contractor Responsibility. ECPs, VECs, and RFD shall contain information per the instructions outlined on the Data Delivery Descriptions (DDD) which can be found at the following website: <http://contracting.tacom.army.mil/engr/engrchange.htm>. Forms for preparing an ECP, VECP, or a RFD can also be found at this website. You may use other media, as long as you give us all the information outlined in the DDDs.
- (1) Identify the two-digit Weapon System Code (WSC) on your submittal. The WSC for this procurement is JE.
- (2) The Contractor shall submit ECPs/VECPs/RFDs to the Government electronically. You must use one of the following electronic mediums: 3 1/2 inch disk, 650 megabyte CD ROM, or E-mail. (E-mail files must be sized 3.5 mb or less.) Identify the software application, and version, that you used to create each file submitted.
- (3) ECPs/VECPs/RFDs submitted in paper form are unacceptable and will be returned. You must use one of the following electronic formats:
- (i) Files readable using these Microsoft 97 Office Products or later versions: Word, Excel, PowerPoint, or Access. Spreadsheets must be sent in a file format that includes all formulae, macro and format information. Print image is not acceptable.
- (ii) Files in Adobe PDF (Portable Document Format).
- (iii) Files in HTML (Hypertext Markup Language). HTML documents must not contain active links to live Internet sites or pages. All linked information must be contained within your electronic ECPs/VECPs/RFDs and be accessible offline.
- (iv) Other electronic formats. Before preparing your ECPs, VECs or RFDs in any other electronic format, please e-mail the engineer, copy-furnished to the buyer and ACO, to obtain a decision as to the format's acceptability. Failure to e-mail the engineer to seek an alternate format's acceptability may result in rejection of your submission. All alternate methods must be at no cost to the Government. NOTE: The above formats may be submitted in compressed form using self-extracting files.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 7 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

(d) Submittal Procedures for ECPs/VECPs/RFDs.

(1) Send one copy of the ECP, VECP or RFD in electronic format to your ACO.

(2) Send one copy of the ECP, VECP or RFD in electronic format to the buyer listed on the solicitation/ contract document.

WARNING - Submit complete, legible, virus free packages per paragraphs 1 and 2 above, or we may return your ECP/VECP/RFD without processing them.

(e) ACO Responsibility. Within ten working days from the day you receive the contractor's request, the ACO must prepare Comments on the ECP, VECP, or RFD in electronic format, and forward it as follows:

Email a copy of the contractor's request and ACO comments (DD Form 1998) to the buyer identified in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155. Indicate end item application (if known) in subject line, along with the NSN and contract number.

(f) Approval of ECPs, VECPs and RFDs.

(1) ECPs should be used to make permanent changes in the Government Technical Data Package (TDP). Contractual relief should be requested using a Request for Deviation. This is because the Government requires more time to analyze any proposal to permanently change the specification or TDP. Cost saving improvements to the TDP should be submitted as a VECP, if a VE clause is contained in the contract.

(2) ECPs. TACOM will review and make a decision within the ninety day timeframe. Notification of our decision will be made by the contracting officer or representative.

(3) RFDs. Decision on RFDs will be made within 30 days from the date we receive them from the ACO.

(g) Processing Emergency and Urgent ECPs. Ordinarily, ECPs submitted by the contractor will be deemed routine. If you submit an ECP that you consider to be an emergency or urgent (as defined in paragraph 11 of DDD for ECPs), you must immediately notify the PCO. TACOM will review the criticality of the ECP, and, if we determine that it is urgent or critical, we'll follow the appropriate processing time-frames as outlined in paragraph 11 of the DDD for ECPs.

(h) Reminder - Only the PCO can change the Contract. NO OTHER GOVERNMENT REPRESENTATIVE is authorized to make a commitment for, or bind the Government.

(i) RFDs shall contain sufficient pricing data to determine if a downward equitable adjustment to the contract is required.

(j) Questions.

(1) Questions about preparation and submittal of change request should be directed to the Government Quality Assurance Representative (QAR).

(2) Questions about the status of change requests you've already submitted, contact the buyer. You can find the buyer's name, number and e-mail address in block 7 of the solicitation cover sheet (SF 33), block 5 on the Standard Form 26, or block 6 on the DD Form 1155.

[End of Clause]

C-2 52.211-4072 TECHNICAL DATA PACKAGE INFORMATION
(TACOM)

JAN/2005

The following "X"d item applies to this solicitation:

[] There is no Technical Data Package (TDP) included with this solicitation.

[X] The TDP for this solicitation is on a CD ROM and must be ordered. Ordering instructions can be obtained at Uniform Resource locator (URL): <http://contracting.tacom.army.mil/bidreq.htm>

[] This solicitation contains one, or, more Web located TDPs. If multiple Contract Line Item Numbers (CLINs) are listed, each one will have its own URL just under the CLIN listing. The URL will take you to that CLIN's Web located TDP. To access the TDP, you will have to copy or type the link's URL into your web browser address bar at the top of the screen.

Note: To copy a link from a .pdf file, click on the "Text Select Tool," then highlight the URL, copy and paste it into your browser, and

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 8 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

hit the enter key.

CLIN: n/a
TDP Link (URL): n/a

[End of Clause]

C-3	52.246-4053 (TACOM)	USE OF MIL-STD 1916	JAN/2001
-----	------------------------	---------------------	----------

The Government will not accept lots whose samples submitted for acceptance contain nonconformances unless appropriately documented and approved by the contracting officer. The contractor shall use MIL-STD-1916, DOD Preferred Methods of Acceptance of Product. The Verification Level (VL) shall be VL IV for major characteristics and VL II for minor characteristics. MIL-HDBK-1916 provides guidance on the use of MIL-STD 1916.

[End of Clause]

C-4	52.211-4008 (TACOM)	DRAWING LIMITATIONS	NOV/2005
-----	------------------------	---------------------	----------

(a) The drawings supplied with this contract are not shop or process drawings. They are engineering design drawings. They are adequate to permit manufacture, and:

- (1) depict the completed (item(s), and
- (2) serve as the basis for inspection of the completed item(s).

(b) These drawings DON'T cover intermediate drawings/specifications or steps in the manufacturing process. As a result, even if you meet all the dimensions and tolerances specified in the engineering design drawing for each individual part, a cumulative unacceptable fit for the contract item could result.

(c) YOU ARE RESPONSIBLE for producing the shop or process drawings needed to cover intermediate steps in the manufacturing process.

(d) You, the contractor, are responsible for obtaining all specifications and drawings necessary to manufacture the items being solicited in accordance with the TDP including all incorporated specifications and drawings. Delivery delays are not excusable where the contractor asserts that it did not have a specification or drawing and has failed to request, in writing, the specification from either the Contracting Officer or Contract Specialist prior to the solicitation closing date.

(e) If you fail to produce an end item with a cumulative fit that conforms to Government drawings, specifications or other supplemental manufacturing documentation, you'll be responsible for correcting this condition at no additional cost to the Government and no delivery schedule extension.

[End of Clause]

C-5 Statement of Work

- 1) This price is based on the supply of used Arms (PNs 12274453-1 and 12311299-2) from the Government to contractor to be utilized in manufacturing the new part number Arms.
- 2) The Government will provide under consignment no less than 481 pcs of used Road Arms.
- 3) Contractor will remanufacture the used Road Arms, including cleaning, inspection, replacement of Road Wheel Spindle with new design Spindle (as called out on the drawing for PN 12473351), assemble, repaint, unpackage and new packaging (as specified in the packaging clause).
- 4) The new-design Spindle (as called out on the drawing for PN 12473351) will be manufactured IAW ALL drawing requirements including the specified source for induction hardening, and the Spindles are to be finish-ground.
- 5) If inspection of the used Arms results in a scrap rate that will diminish excess Arms supplied by the Government below the required delivery amount, the contractor will contact the Contracting Officer immediately for instructions as to whether the Government will supply additional used road arms (GFM) or reduce the required quantity.
- 6) Delivery is based upon time after receipt of used Arms from the Government, not from the time of award.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 9 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

*** END OF NARRATIVE C 0001 ***

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 10 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION D - PACKAGING AND MARKING

	Regulatory Cite	Title	Date
D-1	52.211-4515 (TACOM)	PACKAGING REQUIREMENTS (SPECIAL PACKAGING INSTRUCTIONS)	NOV/2005

(a) Military preservation, packing, and marking for this contract/order shall be accomplished in accordance with the specific requirements identified below, all the applicable requirements of, MIL-STD-2073-1, Revision D, Dated 15 Dec 1999 and Notice 1, dated 10 May 2002, and the Special Packaging Instruction, see below.

- (1) LEVEL OF PRESERVATION: Military
- (2) LEVEL OF PACKING: A
- (3) QUANTITY PER UNIT PACKAGE: 001
- (4) SPECIAL PACKAGING INSTRUCTION NUMBER. AK11808677
- (a) REVISION none
- (b) DATE OF REVISION As listed on SPI.

(c) THE REQUIRED SPECIAL PACKAGING INSTRUCTION (SPI) IS AVAILABLE ON THE WEB AT THE FOLLOWING URL <https://www-tdps.tacom.army.mil/phst/SPI/05/89/86.pdf>
 (Note: You must have the Adobe Acrobat reader installed on your PC to view the SPI. See the TACOM Acquisition Center web site (<http://contracting.tacom.army.mil/faq.htm>) for information on obtaining the latest version of the reader. If you're experiencing problems opening the Special Packaging Instructions in Adobe .PDF images using Internet Explorer, try the following: Go to "Tools," then "Internet Options." Click on the "Advanced" tab. Scroll down to the "Security" section. Uncheck "Do not save encrypted pages to disk." Click "Apply." Click "OK.")

(b) Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The preferred commercial expendable pallet is a 40 x 48 inch, 4-way entry pallet although variations may be permitted as dictated by the characteristics of the items being unitized. The load shall be contained in a manner that will permit safe handling during shipment and storage.

(c) Marking:

(1) In addition to any special markings called out on the SPI, all unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P(3), dated 29 Oct. 2004, including bar coding. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract/order or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. NOTE: Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause.

(2) Contractors and vendors shall apply identification and address markings with bar codes in accordance with this standard. For shipments moving to overseas locations and for mobile deployable units, the in-the-clear address must also include the host country geographic address and the APO/FPO address. A Military Shipment Label (MSL) is required for all shipments except contractor to contractor. The MSL will include both linear and 2D bar codes per the standard. DVD shipment documentation must also be marked with additional bar codes. The DD Form 250 or the commercial packing list shall have additional issue/receipt bar coding applied as per Direct Vendor Delivery Shipments in the standard (except for deliveries to DLA Distribution Depots, e.g. New Cumberland, San Joaquin, Red River, Anniston). Packing lists are required in accordance with the Standard, see paragraph 5.3.

(3) Contractor to contractor shipments shall have the address markings applied to the identification marked side of the exterior shipping container or to the unitized load markings. The following shall be marked "FROM: name and address of consignor and TO: name and address of consignee."

(4) Commercial software may be used to generate a Military Shipment Label / Issue Receipt Document (MSL/IRRD) including the required Code 39 and 2D (PDF417) bar codes. However, the commercial software must produce labels/documents which comply with the requirements of MIL-STD-129P. Contractors shall insure that the ship to and mark for in-the-clear delivery address is complete including: consignees name, organization, department name, office, building, room, street address, city, state, country code, and

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

DODAAC. (Army developed software, for creating MSL/IRRD previously available to those with government contracts is no longer supported.)

(d) Heat Treatment and Marking of Wood Packaging Materials: Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure traceability to the original source of heat treatment. Marking. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organization's compliance program. In addition, wood used as dunnage for blocking and bracing shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.

(e) Hazardous Materials (As applicable):

(1) Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)

(2) Unless otherwise specified, packaging and marking for hazardous material shall comply with the requirements herein for the mode of transport and the applicable performance packaging contained in the following documents:

- International Air Transport Association (IATA) Dangerous Goods Regulations
- International Maritime Dangerous Goods Code (IMDG)
- Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).

(3) If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of origin and in accordance with regulations of all applicable carriers. A Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

(f) This SPI has been validated and the method of preservation/packing has proven successful in meeting the needs of the military distribution system, including indeterminate storage and shipment throughout the world. Special instructions and/or tailoring of the SPI is detailed in the Supplemental Instructions below. A prototype package is required to validate the sizes and fit requirements of the SPI. Minor dimensional and size changes are acceptable provided contractor provides the PCO and ACO with notification 60 days prior to delivery. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing or affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO and ACO. Government reserves the right to require testing to validate alternate industrial preservation methods, materials, alternate blocking, bracing, cushioning, and packing.

(g) SUPPLEMENTAL INSTRUCTIONS: none

[End of Clause]

D-2	252.211-7003	ITEM IDENTIFICATION AND VALUATION (Alternate I version dated April 2005)	JUN/2005
-----	--------------	--	----------

NOTE: Paragraph (a) comes after paragraphs (b) through (d) below. It was placed there because it's content is inconsequential as none of the definitions contained therein are used in this Alternate I version of this DFARS clause.

(b) The Contractor shall deliver all items under a contract line, subline, or exhibit line item.

(c) For each item delivered under a contract line, subline, or exhibit line item under paragraph (b) of this clause, in addition to the information provided as part of the Material Inspection and Receiving Report specified elsewhere in this contract, the Contractor shall report the Governments unit acquisition cost.

(d) The Contractor shall submit the information required by paragraph (c) of this clause in accordance with the data submission

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 12 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

procedures at <<http://www.acq.osd.mil/dpap/UID/DataSubmission.htm>>.

(a) Definitions. As used in this clause--

"Automatic identification device" means a device, such as a reader or interrogator, used to retrieve data encoded on machine-readable media.

Concatenated unique item identifier means

(1) For items that are serialized within the enterprise identifier, the linking together of the unique identifier data elements in order of the issuing agency code, enterprise identifier, and unique serial number within the enterprise identifier; or

(2) For items that are serialized within the original part, lot, or batch number, the linking together of the unique identifier data elements in order of the issuing agency code; enterprise identifier; original part, lot, or batch number; and serial number within the original part, lot, or batch number.

Data qualifier means a specified character (or string of characters) that immediately precedes a data field that defines the general category or intended use of the data that follows.

DoD recognized unique identification equivalent means a unique identification method that is in commercial use and has been recognized by DoD. All DoD recognized unique identification equivalents are listed at <<http://www.acq.osd.mil/dpap/UID/equivalents.html>>.

DoD unique item identification means a system of marking items delivered to DoD with unique item identifiers that have machine-readable data elements to distinguish an item from all other like and unlike items. For items that are serialized within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier and a unique serial number. For items that are serialized within the part, lot, or batch number within the enterprise identifier, the unique item identifier shall include the data elements of the enterprise identifier; the original part, lot, or batch number; and the serial number.

Enterprise means the entity (e.g., a manufacturer or vendor) responsible for assigning unique item identifiers to items.

Enterprise identifier means a code that is uniquely assigned to an enterprise by an issuing agency.
Governments unit acquisition cost means

(1) For fixed-price type line, subline, or exhibit line items, the unit price identified in the contract at the time of delivery;

(2) For cost-type or undefinitized line, subline, or exhibit line items, the Contractors estimated fully burdened unit cost to the Government at the time of delivery; and

(3) For items produced under a time-and-materials contract, the Contractors estimated fully burdened unit cost to the Government at the time of delivery.

Issuing agency means an organization responsible for assigning a non-repeatable identifier to an enterprise (i.e., Dun & Bradstreets Data Universal Numbering System (DUNS) Number, Uniform Code Council (UCC) /EAN International (EAN) Company Prefix, or Defense Logistics Information System (DLIS) Commercial and Government Entity (CAGE) Code.

Issuing agency code means a code that designates the registration (or controlling) authority for the enterprise identifier.

Item means a single hardware article or a single unit formed by a grouping of subassemblies, components, or constituent parts.

Lot or batch number means an identifying number assigned by the enterprise to a designated group of items, usually referred to as either a lot or a batch, all of which were manufactured under identical conditions.

Machine-readable means an automatic identification technology media, such as bar codes, contact memory buttons, radio frequency identification, or optical memory cards.

Original part number means a combination of numbers or letters assigned by the enterprise at item creation to a class of items with the same form, fit, function, and interface.

Parent item means the item assembly, intermediate component, or subassembly that has an embedded item with a unique item identifier or DoD recognized unique identification equivalent.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 13 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

Serial number within the enterprise identifier means a combination of numbers, letters, or symbols assigned by the enterprise to an item that provides for the differentiation of that item from any other like and unlike item and is never used again within the enterprise.

Serial number within the part, lot, or batch number means a combination of numbers or letters assigned by the enterprise to an item that provides for the differentiation of that item from any other like item within a part, lot, or batch number assignment.

Serialization within the enterprise identifier means each item produced is assigned a serial number that is unique among all the tangible items produced by the enterprise and is never used again. The enterprise is responsible for ensuring unique serialization within the enterprise identifier.

Serialization within the part, lot, or batch number means each item of a particular part, lot, or batch number is assigned a unique serial number within that part, lot, or batch number assignment. The enterprise is responsible for ensuring unique serialization within the part, lot, or batch number within the enterprise identifier.

Unique item identifier means a set of data elements marked on items that is globally unique and unambiguous.

Unique item identifier type means a designator to indicate which method of uniquely identifying a part has been used. The current list of accepted unique item identifier types is maintained at http://www.acq.osd.mil/dpap/UID/uid_types.html

[End of Clause]

D-3	252.211-7006	RADIO FREQUENCY IDENTIFICATION (reflects DoD Class Deviation 2006-00003)	MAY/2006
-----	--------------	--	----------

Note: This clause requires contractors to affix passive (as defined in the clause) RFID tags at the case and palletized unit load level when shipping parts to the depots shown in paragraph b(1)(ii) below. "New Cumberland" is a part of Susquehanna. Shipments to New Cumberland require RFID tagging where the DoDAAC is either W25G1U or SW3124. Procurement Technical Assistance Centers (PTACs) <http://www.dla.mil/db/procurem.htm> can assist contractors with this RFID requirement. Check with one in your region.

(a) Definitions. As used in this clause

Advance shipment notice means an electronic notification used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment.

Bulk commodities means the following commodities, when shipped in rail tank cars, tanker trucks, trailers, other bulk wheeled conveyances, or pipelines:

- (1) Sand.
- (2) Gravel.
- (3) Bulk liquids (water, chemicals, or petroleum products).
- (4) Ready-mix concrete or similar construction materials.
- (5) Coal or combustibles such as firewood.
- (6) Agricultural products such as seeds, grains, or animal feed.

Case means either a MIL-STD-129 defined exterior container within a palletized unit load or a MIL-STD-129 defined individual shipping container.

Electronic Product Code\'99 (EPC) means an identification scheme for universally identifying physical objects via RFID tags and other means. The standardized EPC data consists of an EPC (or EPC identifier) that uniquely identifies an individual object, as well as an optional filter value when judged to be necessary to enable effective and efficient reading of the EPC tags. In addition to this standardized data, certain classes of EPC tags will allow user-defined data. The EPC tag data standards will define the length and position of this data, without defining its content.

EPCglobal\'99 means a joint venture between EAN International and the Uniform Code Council to establish and support the EPC network as the global standard for immediate, automatic, and accurate identification of any item in the supply chain of any company, in any industry, anywhere in the world.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 14 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

Exterior container means a MIL-STD-129 defined container, bundle, or assembly that is sufficient by reason of material, design, and construction to protect unit packs and intermediate containers and their contents during shipment and storage. It can be a unit pack or a container with a combination of unit packs or intermediate containers. An exterior container may or may not be used as a shipping container.

Palletized unit load means a MIL-STD-129 defined quantity of items, packed or unpacked, arranged on a pallet in a specified manner and secured, strapped, or fastened on the pallet so that the whole palletized load is handled as a single unit. A palletized or skidded load is not considered to be a shipping container. A loaded 463L System pallet is not considered to be a palletized unit load. Refer to the Defense Transportation Regulation, DoD 4500.9-R, Part II, Chapter 203, for marking of 463L System pallets.

Passive RFID tag means a tag that reflects energy from the reader/interrogator or that receives and temporarily stores a small amount of energy from the reader/interrogator signal in order to generate the tag response.

- (1) Until February 27, 2007, the acceptable tags are
 - (i) EPC Class 0 passive RFID tags that meet the EPCglobal Class 0 specification; and
 - (ii) EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 specification. This includes both the Generation 1 and Generation 2 Class 1 specifications.
- (2) Beginning March 1, 2007, the only acceptable tags are EPC Class 1 passive RFID tags that meet the EPCglobal Class 1 Generation 2 specification. Class 0 and Class 1 Generation 1 tags will no longer be accepted after February 28, 2007.

Radio Frequency Identification (RFID) means an automatic identification and data capture technology comprising one or more reader/interrogators and one or more radio frequency transponders in which data transfer is achieved by means of suitably modulated inductive or radiating electromagnetic carriers.

Shipping container means a MIL-STD-129 defined exterior container that meets carrier regulations and is of sufficient strength, by reason of material, design, and construction, to be shipped safely without further packing (e.g., wooden boxes or crates, fiber and metal drums, and corrugated and solid fiberboard boxes).

- (b)
 - (1) Except as provided in paragraph (b)(2) of this clause, the Contractor shall affix passive RFID tags, at the case and palletized unit load packaging levels, for shipments of items that
 - (i) Are in any of the following classes of supply, as defined in DoD 4140.1-R, DoD Supply Chain Materiel Management Regulation, AP1.1.11:
 - (A) Subclass of Class I Packaged operational rations.
 - (B) Class II Clothing, individual equipment, tentage, organizational tool kits, hand tools, and administrative and housekeeping supplies and equipment.
 - (C) Class IIIP Packaged petroleum, lubricants, oils, preservatives, chemicals, and additives.
 - (D) Class IV Construction and barrier materials.
 - (E) Class VI Personal demand items (non-military sales items).
 - (F) Subclass of Class VIII Medical materials (excluding pharmaceuticals, biologicals, and reagents).
 - (G) Class IX Repair parts and components including kits, assemblies and subassemblies, repairable and consumable items required for maintenance support of all equipment, excluding medical-peculiar repair parts; and
 - (ii) Are being shipped to any of the following locations:
 - (A) Defense Distribution Depot, Susquehanna, PA: DoDAAC W25G1U or SW3124.
 - (B) Defense Distribution Depot, San Joaquin, CA: DoDAAC W62G2T or SW3224.
 - (C) Defense Distribution Depot, Albany, GA: DoDAAC SW3121.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 15 of 39
---------------------------	--	----------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

- (D) Defense Distribution Depot, Anniston, AL: DoDAAC W31G1Z or SW3120.
- (E) Defense Distribution Depot, Barstow, CA: DoDAAC SW3215.
- (F) Defense Distribution Depot, Cherry Point, NC: DoDAAC SW3113.
- (G) Defense Distribution Depot, Columbus, OH: DoDAAC SW0700.
- (H) Defense Distribution Depot, Corpus Christi, TX: DoDAAC W45H08 or SW3222.
- (I) Defense Distribution Depot, Hill, UT: DoDAAC SW3210.
- (J) Defense Distribution Depot, Jacksonville, FL: DoDAAC SW3122.
- (K) Defense Distribution Depot, Oklahoma City, OK: DoDAAC SW3211.
- (L) Defense Distribution Depot, Norfolk, VA: DoDAAC SW3117.
- (M) Defense Distribution Depot, Puget Sound, WA: DoDAAC SW3216.
- (N) Defense Distribution Depot, Red River, TX: DoDAAC W45G19 or SW3227.
- (O) Defense Distribution Depot, Richmond, VA: DoDAAC SW0400.
- (P) Defense Distribution Depot, San Diego, CA: DoDAAC SW3218.
- (Q) Defense Distribution Depot, Tobyhanna, PA: DoDAAC W25G1W or SW3114.
- (R) Defense Distribution Depot, Warner Robins, GA: DoDAAC SW3119.
- (S) Air Mobility Command Terminal, Charleston Air Force Base, Charleston, SC: Air Terminal Identifier Code CHS.
- (T) Air Mobility Command Terminal, Naval Air Station, Norfolk, VA: Air Terminal Identifier Code NGU.
- (U) Air Mobility Command Terminal, Travis Air Force Base, Fairfield, CA: Air Terminal Identifier Code SUU.

(2) Bulk commodities are excluded from the requirements of paragraph (b)(1) of this clause.

(c) The Contractor shall ensure that

(1) The data encoded on each passive RFID tag are unique (i.e., the binary number is never repeated on any and all contracts) and conforms to the requirements in paragraph (d) of this clause;

(2) Each passive tag is readable; and

(3) The passive tag is affixed at the appropriate location on the specific level of packaging, in accordance with MIL-STD-129 (Section 4.9.2) tag placement specifications.

(d) Data syntax and standards. The Contractor shall encode an approved RFID tag using the instructions provided in the most recent EPC\ '99 Tag Data Standards document, available at http://www.epcglobalinc.org/standards_technology/specifications.html.

(1) If the Contractor is an EPCglobal\ '99 subscriber and possesses a unique EPC\ '99 company prefix, the Contractor may use any of the identity types and encoding instructions described in the most recent EPC\ '99 Tag Data Standards document to encode tags.

(2) If the Contractor chooses to employ the DoD Identity Type, the Contractor shall use its previously assigned Commercial and Government Entity (CAGE) Code and shall encode the tags in accordance with the tag identity type details located at http://www.acq.osd.mil/log/rfid/tag_data.htm. If the Contractor uses a third party packaging house to encode its tags, the CAGE code of the third party packaging house is acceptable.

(3) Regardless of the selected encoding scheme, the Contractor is responsible for ensuring that each tag contains a globally unique identifier.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 16 of 39
---------------------------	--	----------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(e) Receiving report. The Contractor shall electronically submit advance shipment notice(s) with the RFID tag identification (specified in paragraph (d) of this clause) in advance of the shipment in accordance with the procedures at http://www.acq.osd.mil/log/rfid/advance_shipment_ntc.htm.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 17 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION E - INSPECTION AND ACCEPTANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
E-1	52.246-2	INSPECTION OF SUPPLIES--FIXED-PRICE	AUG/1996
E-2	52.246-16	RESPONSIBILITY FOR SUPPLIES	APR/1984
E-3	52.246-4025 (TACOM)	HIGHER-LEVEL CONTRACT QUALITY REQUIREMENT--TACOM QUALITY SYSTEM REQUIREMENT	MAY/2005

(a) As the contractor, you shall implement and maintain a quality system that ensures the functional and physical conformity of all products or services you furnish under this contract. Your quality system shall achieve (i) defect prevention and (ii) process control, providing adequate quality controls throughout all areas of contract performance.

(b) Your quality system under this contract shall be in accordance with the quality system indicated by an X below:

- ☒ [X] ISO 9001:2000 (tailored: delete paragraph 7.3) or comparable quality system
- ☐ [] ISO 9001:2000 (untailored) or comparable quality system
- ☐ [] ISO 9001:2000 (tailored: delete paragraphs -1-) or comparable quality system

If you intend to use a system comparable to ISO 9001:2000, please identify your quality system below. You may use an in-house quality system, or one based on a commercial, military, national, or international system.

MIL-I-45208

In addition to identifying your proposed system in the space above, you must attach a description of this system to your offer in response to the solicitation, so that we can assess its suitability. If you receive a contract award, your proposed system will be required by the contract.)

(c) Certification of compliance or registration of the quality system you identify above, by an independent standards organization or auditor does not need to be furnished to us under this contract. However, you may attach a copy of such certification with your offer in response to the solicitation, as proof of system compliance.

(d) At any point during contract performance, we have the right to review your quality system to assess its effectiveness in meeting contractual requirements.

[End of Clause]

E-4	52.246-15	CERTIFICATE OF CONFORMANCE	APR/1984
-----	-----------	----------------------------	----------

(a) When authorized in writing by the cognizant Contract Administration Office (CAO), the Contractor shall ship with a Certificate of Conformance any supplies for which the contract would otherwise require inspection at source. In no case shall the Government's right to inspect supplies under the inspection provisions of this contract be prejudiced. Shipments of such supplies will not be made under this contract until use of the Certificate of Conformance has been authorized in writing by the CAO, or inspection or inspection and acceptance have occurred.

(b) The Contractor's signed certificate shall be attached to or included on the top copy of the inspection or receiving report distributed to the payment office or attached to the CAO copy when contract administration (Block 10 of the DD Form 250) is performed by the Defense Contract Administration Services. In addition, a copy of the signed certificate shall also be attached to or entered on copies of the inspection or receiving report accompanying the shipment.

(c) The Government has the right to reject defective supplies or services within a reasonable time after delivery by written notification to the Contractor. The Contractor shall in such event promptly replace, correct, or repair the rejected supplies or services at the Contractor's expense.

(d) The certificate shall read as follows:

I certify that on ____ (date) ____, the ____ (insert Contractor's name) ____ furnished the supplies or services called for by Contract

<p style="text-align: center;">CONTINUATION SHEET</p>	<p style="text-align: center;">Reference No. of Document Being Continued</p> <p style="text-align: center;">PIIN/SIIN W56HZV-07-C-0375 MOD/AMD</p>	<p style="text-align: center;">Page 18 of 39</p>
--	--	---

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

number _____ via _____ (Carrier) on _____ (Identify the bill of lading or shipping document) _____ in accordance with all applicable requirements. I further certify that the supplies or services are of the quantity specified and conform in all respects with the contract requirements, including specifications, drawings, preservation, packaging, packing, marking requirements, and physical item identification (part number), and are in the quantity shown on this or on the attached acceptance document.

Date of Execution: _____

Signature: _____

Title: _____

[End of Clause]

E-5	52.211-4016 (TACOM)	CARC PAINT-PRETREATMENT REQUIREMENTS FOR FERROUS, GALVANIZED AND ALUMINUM SURFACES	DEC/2005
-----	------------------------	---	----------

(a) Ferrous and galvanized surfaces shall be cleaned and pretreated with a Type 1, zinc phosphate system per TT-C-490. Alternate pretreatment systems for ferrous substances must meet the performance tests specified in paragraphs 3.5.7, 3.5.8, 4.2.7, and 4.2.8 of TT-C-490.

Corrosion resistance tests on steel substrates will be conducted on a monthly basis using two test coupons. This test frequency shall begin once the process has been found to be in statistical control.

Unless otherwise specified, MIL-P-53022 and -53030 primers on steel substrates shall be salt spray tested for 336 hours (ASTM B117). All electrocoat primers on steel substrates shall be tested for 1000 hours. Test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, between 24 and 168 hours after removal from the neutral salt spray cabinet for coupon evaluation. All TT-C-490E (Type I) zinc phosphate pretreatment systems must be documented and approved by the procuring activity prior to use. The procedure containing all the elements specified in paragraph 3.2 of TT-C-490 shall be available for review at the applicator's facility.

The prime contractor shall notify the procuring activity no less than 45 days prior to start of pretreatment and painting that the procedure is available for review and approval. Qualification will consist of verification that the process with its controls can meet the performance requirements in the specification.

Re-qualification of the process shall be required if the process is changed outside the limits defined in the TACOM letter of system approval provided to the application facility.

Note: Zinc phosphate systems for galvanized surfaces require different controls than those for steel. Hot dipped galvanized surfaces are highly prone to chloride contamination from the galvanizing flux process. This contaminant must be removed prior to pretreatment for the coating system to pass these performance tests. The test coupons must duplicate the production painting process as closely as possible. If production is force cured, test coupons shall be cured in an identical manner.

(b) Qualification and control of pretreatment systems for galvanized substrates shall be performed using Accelerated Corrosion Test protocol contained in GM 9540P rather than salt spray. Test coupons with pretreatment and primer only shall be cured for seven days, and then scribed through the primer to the substrate. After 40 cycles of test exposure, the test coupons shall be scraped at a 30 degree contact angle (approximate), with a one inch (approximate) metal blade such as a putty knife, both parallel and perpendicular to the scribe after removal from the test chamber for coupon evaluation. There shall be no more than 3 mm of corrosion, blistering, or loss of paint adhesion from the scribe line and no more than 5 blisters in the field with none greater than 1 mm diameter. This test shall be performed at three month intervals (two test coupons) to ensure that the process remains in control.

(c) Aluminum substrates require a chromate conversion coating per MIL-C-5541E (or alternate, see note below). If any other alternate pretreatment is considered, it must pass 120 cycles of GM9540P with a design of experiments test matrix approved by the procuring activity. After completion of the cyclic salt environment exposure, the panels shall be scraped as described above, and shall have no more than 0.5 mm paint loss (creep-back) from the scribe. In addition, there shall be no more than 5 blisters in the field with none larger than 1mm diameter. After completion of the 120 cycle corrosion resistance test evaluation, each test panel will be subjected to cross hatch tape test (ASTM D3359, method b 6 cut pattern. minimum tape adhesion rating of 45 oz. per inch of width) and shall be done no closer than 12 mm from any panel edge or the scribe. The removal of two or more complete squares of primer shall constitute failure. Any alternate system must demonstrate its ability to pass both corrosion and adhesion tests on 5 consecutive days of production to be considered acceptable.

For information purposes:

Note: The only alternative products which have demonstrated their ability to meet these requirements for 5000 and 6000 series

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 19 of 39
--------------------	---	---------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

aluminum alloys are Alodine 5200 and Alodine 5700. Documented process controls shall be established which comply with the manufacturer's technical bulletin. Spray-to-waste systems will require fewer process controls than an immersion process.

(d) The use of TT-C-490E Type III: Vinyl Wash Primer (DOD-P-15328) has hexavalent chromium content and high VOC level. Bonderite 7400 is an approved, environmentally friendly alternative for wash primer. The application and control process shall be documented. This product is subject to the same salt spray requirements as a zinc phosphated product. The number of process controls for this product is dependent upon its method of application. The specific controls shall be in agreement with the product manufacturer's technical bulletin to provide the level of performance required for zinc phosphated substrates. Spray-to-waste applications will require fewer process controls than an immersion process.

(e) Acceptance of production painted parts is contingent upon the painted surface meeting the dry film thickness and cross hatch adhesion requirements. The CARC painted surface shall be free of any blisters, pores or coverage voids.

E-6	52.211-4029	INTERCHANGEABILITY OF COMPONENTS	MAY/1994
	(TACOM)		

(a) DESIGN CHANGES TO ITEMS NOT UNDER GOV'T DESIGN CONTROL. Once the Government accepts the first production test item, or accepts the first end item you deliver, (whichever comes first) you must not make design changes to any item or part that is not under Government design control.

(b) WHEN THE POLICY CAN BE WAIVED. The Procuring Contracting Officer (PCO) will consider waiving this policy at your request. If your request reaches the CO after the first production item test has been performed, then we may conduct another first production test at your expense.

(c) PRODUCTION OR DELIVERY DELAYS. Any production or delivery delays caused by this retesting will not be the basis for:

- (1) an "excusable delay" as defined in the DEFAULT clause of this contract.
- (2) be the basis for an increase in contract price or delivery schedule extension.

[End of clause]

E-7	52.211-4030	BASIC APPLICATION AND TESTING REQUIREMENTS FOR CHEMICAL AGENT	DEC/2005
	(TACOM)	RESISTANT COATINGS (CARC) ON METALLIC SURFACES	

(a) Scope: The requirements contained herein apply whenever any CARC topcoats and primers as specified in MIL-DTL-53072 are cited in the contract.

(b) CARC Primers: Select Army Research Laboratories (ARL) approved powder coat primers can also be used as a replacement for liquid primers such as MIL-P-53022 and MIL-P-53030 primers. Any part that has rust, mill scale, or any other surface contamination must be cleaned prior to the application of any coating IAW TT-C-490.

(c) End-Item Inspection. After the complete paint finish has been applied and cured* (see note below), the Contractor shall test and inspect two units per lot for (i) workmanship, (ii) total paint film thickness, and (iii) paint adhesion. Unless otherwise agreed to between the Contractor and the Government quality assurance representative, a lot shall be defined as all units submitted for final Government acceptance at one time. The use of test panels in lieu of actual production units is prohibited.

At final inspection, the cumulative total paint film thickness of pretreatment, primer, and topcoat shall be the sum of the minimum and maximum thicknesses for individual elements of the paint finish as specified in MIL-DTL-53072. The specific number of test locations shall be agreed to by the Government quality assurance representative in advance. In addition, two locations on each sample unit shall be selected to conduct the scribe tape test. The test locations shall be routinely varied among the following:

- (1) Directly adjacent to a weld.
- (2) On or directly adjacent to a machine cut or sheared edge.
- (3) On any mechanically formed surface when lubricants/drawing compounds were used.
- (4) On paint touch-up areas.

The precise location for each scribe tape shall be in an inconspicuous location that has been accepted by the Government quality assurance representative before the test is conducted.

Upon completion of the scribe tape test, the scribe marks shall be feathered into the adjacent area and touched up with the required topcoat so that the tested area conforms to the requirements total DFT specified in MIL-DTL-53072.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 20 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

*NOTE: The complete paint finish is defined as the pretreatment, primer, and topcoat applied to the substrate. Curing of the complete paint finish is dependent upon temperature, humidity, and paint film thickness. The time necessary to achieve sufficient adhesion to pass the scribe tape test must be determined by each facility. For purposes of this test, curing at ambient temperature will take 24 days. To accelerate the curing for purposes of product acceptance, the following procedure may be followed: Cure at 190 to 210 degrees Fahrenheit for three hours (this is time at temperature and is therefore material thickness dependent), followed by 7 days at 65 degrees F minimum.

- (d) Test Methods:
 - (1) The gage shall be capable of being calibrated. If no other calibration specification or requirement is identified elsewhere in this contract, then the gage shall be calibrated in accordance with ISO 10012.
 - (2) Scribe Tape Test. Shall be IAW ASTM D 3359 Method B, six (6) cut pattern.
- (e) Acceptance Criteria:
 - (1) Film Thickness. All applicable surfaces shall have complete paint coverage. A minimum of 95% of the surfaces shall meet the minimum and maximum, cumulative dry film thickness requirements. Failure of this test shall result in rejection of the production lot that it represents.
 - (2) Scribe Tape Test (Adhesion). The removal of two or more complete squares of top coat, or top coat-primer-pretreatment combination constitutes failure and the production lot is rejected. Removal of overspray does not constitute test failure.
- (f) CHEMICAL AGENT RESISTANT COATING (CARC) ON WOOD COMPONENTS.
 - (1) Wood shall be treated and painted IAW MIL-DTL-53072 section 3.3.4. After treatment, the wood shall provide a paintable surface as described by the paint-ability requirements of Spec TT-W-572, except that the wood species, treatment, and paint shall be the same as furnished for this contract.
 - (2) After demonstrating that the paint adhesion requirements are met, and Government inspection/acceptance of this item has occurred, any subsequent flaking and peeling of paint from the wood shall not be considered a defect unless the Government establishes that the flaking and/or peeling of the paint was caused by defective workmanship in the application of the paint or the preparation of the painted surface.

[End of Clause]

E-8

52.242-4008
(TACOM)

ROUTING OF SPECIAL PROCESS APPROVALS

DEC/2005

(a) The Technical Data Package for this contract contains one or more of the following specifications:

MIL-DTL-16232 Phosphate Coating, Heavy, Manganese or Zinc Base

TT-C-490 Chemical Conversion Coatings and Pretreatment for Ferrous Surfaces (Base for Organic Coatings)

MIL-W-12332 Welding Resistance, Spot: Weldable Aluminum Alloys

MIL-W-45210 Welding Resistance, Spot: Weldable Aluminum Alloys

*Drawing 12479550 Ground Combat Vehicle Welding Code - Steel

*Drawing 12472301 Ground Combat Vehicle Welding Code - Aluminum

* If these drawings are not available with your procurement package, you are referred to the TACOM Procurement Network for access to the documents at the following website address: http://contracting.tacom.army.mil/engr/gcv_weldingcodes.htm

(b) The specifications listed in paragraph 1 may require you to get approval from the Government prior to production for one or more special processes involved in producing the item. The following shall apply, unless stated elsewhere in the contract:

(1) You shall prepare the written procedures as the specification requires.

(2) Procedures requiring Government approval shall be routed to the Administrative Contracting Officer (ACO) for review and approval. If the ACO is unable to perform a review, the ACO shall forward the procedure to the Procuring Contracting Officer (PCO) for

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

assistance in the review and approval process. The correct address for the PCO is on the face page of this contract.

(3) You shall cite (i) the contract number and (ii) the governing specification or standard on all procedures you submit for approval.

(4) The DCMA will provide a copy of their approval/rejection notices to the PCO.

(5) DCMA is required to qualify the processes of the major coating subcontractors used by the prime contractors.

[End of Clause]

E-9 52.246-4028 INSPECTION AND ACCEPTANCE POINTS: ORIGIN
 (TACOM)

NOV/2005

The Government's inspection and acceptance of the supplies offered under this contract/purchase order shall take place at ORIGIN. Offeror must specify below the exact name, address, and CAGE of the facility where supplies to be furnished under this contract/purchase order will be available for inspection/acceptance.

INSPECTION POINT: LOC Performance Products, Inc. 1V513
(Name) (CAGE)

13505 Haggarty Rd.,	Plymouth,	MI	48170
(Address)	(City)	(State)	(Zip)

ACCEPTANCE POINT: LOC Performance Products, Inc. 1V513
(Name) (CAGE)

13505 Haggarty Rd., Plymouth, MI	48170
(Address)	(City) (State) (Zip)

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 22 of 39
---------------------------	--	----------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION F - DELIVERIES OR PERFORMANCE

	<u>Regulatory Cite</u>	<u>Title</u>	<u>Date</u>
F-1	52.211-17	DELIVERY OF EXCESS QUANTITIES	SEP/1989
F-2	52.242-15	STOP-WORK ORDER	AUG/1989
F-3	52.242-17	GOVERNMENT DELAY OF WORK	APR/1984
F-4	52.247-29	F.O.B. ORIGIN	FEB/2006
F-5	52.247-55	F.O.B. POINT FOR DELIVERY OF GOVERNMENT-FURNISHED PROPERTY	JUN/2003
F-6	52.247-58	LOADING, BLOCKING, AND BRACING OF FREIGHT CAR SHIPMENTS	APR/1984
F-7	52.247-59	F.O.B. ORIGIN--CARLOAD AND TRUCKLOAD SHIPMENTS	APR/1984
F-8	52.242-4022 (TACOM)	DELIVERY SCHEDULE	SEP/2006

(a) Offers that propose delivery that will not clearly fall within the applicable required delivery schedule specified below MAY BE CONSIDERED NONRESPONSIVE AND NOT ELIGIBLE FOR AWARD. If you believe that the delivery schedule or quantity is unrealistic, contact the buyer listed on the cover sheet of this solicitation at least 14 days prior to solicitation closing date.

(b) DEFINITIONS:

(1) DAYS means the number of days after the date of contract award when you must deliver the stated quantity (QTY) of supplies.

(2) DELIVERY is defined as follows:

FOB Origin - Contractor is required to deliver its shipment as provided in FAR 52.247-29(a)(1)-(4) by the time specified in the individual contract; or

FOB Destination - Contractor is required to deliver its shipment as provided in FAR 52.247-34(a)(1)-(2) by the time specified in the individual contract. The contractor must take into consideration the length of time necessary to deliver its shipment to the destination designated in the contract, to ensure that the item reaches its destination by the time reflected in the contract.

(c) The Government requires delivery to be made according to the following schedule:

GOVERNMENT REQUIRED DELIVERY SCHEDULE

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
0001AA	172	150
0001AA	150	180
0001AA	150	210

(d) If the offeror does not propose an accelerated delivery schedule, the required delivery schedule above will apply. If you wish to propose an accelerated delivery schedule at no additional cost, fill in the appropriate information here:

OFFERORS PROPOSED ACCELERATED DELIVERY SCHEDULE

ITEM NO.	QTY	WITHIN DAYS AFTER DATE OF CONTRACT AWARD
0001AA	472	Will begin shipping partial deliveries within 60 days after receipt of GFM, to complete all deliveries within 150 days after receipt of GFM.

(e) You can accelerate delivery after contract award at no additional cost to the government.

[End of Clause]

F-9	52.211-16	VARIATION IN QUANTITY	APR/1984
-----	-----------	-----------------------	----------

(a) A variation in the quantity of any item called for by this contract will not be accepted unless the variation has been caused

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-07-C-0375 MOD/AMD</p>	<p align="center">Page 23 of 39</p>
---	--	--

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

by conditions of loading, shipping, or packing, or allowances in manufacturing processes, and then only to the extent, if any, specified in paragraph (b) below.

(b) The permissible variation shall be limited to:

 ZERO percent increase; and
 ZERO percent decrease.

(c) This increase or decrease shall apply to THE TOTAL CONTRACTUAL QUANTITY.

[End of Clause]

F-10 52.247-60 GUARANTEED SHIPPING CHARACTERISTICS DEC/1989

(a) The offeror is requested to complete subparagraph (a)(1) of this clause, for each part or component which is packed or packaged separately. This information will be used to determine transportation costs for evaluation purposes. If the offeror does not furnish sufficient data in subparagraph (a)(1) of this clause, to permit determination by the Government of the item shipping costs, evaluation will be based on the shipping characteristics submitted by the offeror whose offer produces the highest transportation costs or in the absence thereof, by the Contracting Officer's best estimate of the actual transportation costs. If the item shipping costs, based on the actual shipping characteristics, exceed the item shipping costs used for evaluation purposes, the Contractor agrees that the contract price shall be reduced by an amount equal to the difference between the transportation costs actually incurred, and the costs which would have been incurred if the evaluated shipping characteristics had been accurate.

(1) To be completed by the offeror:

- (i) Type of "Outer" container: Wood Box X , Fiber Box , Barrel , Reel , Drum , Other (Specify)
- (ii) Shipping configuration: Knocked-down , Set-up , Nested , Other (specify) ;
- (iii) Size of outer container: 40 inches (Length), x 35 inches (Width), x 18 inches (Height) = 14.85 Cubic FT;
- (iv) Number of items per outer container 1 Each;
- (v) Gross weight of outer container and contents 330 LBS
- (vi) Palletized/skidded Yes X No;
- (vii) Number of outer containers per pallet/skid ;
- (viii) Weight of empty pallet bottom/skid and sides LBS;
- (ix) Size of pallet/skid and contents LBS Cube ;
- (x) Number of outer containers or pallets/skids per railcar * --
Size of railcar
Type of railcar
- (xi) Number of outer containers or pallets/skids per trailer 130 (limited by weight) *--
Size of trailer 50'
Type of trailer Closed Van

*Number of complete units (contract line item) to be shipped in carrier's equipment.

(2) To be completed by the Government after evaluation but before contract award:

- (i) Rate used in evaluation ;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 24 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

(ii) Tender/Tariff _____;

(iii) Item _____;

The guaranteed shipping characteristics requested in subparagraph (a)(1) of this clause do not establish actual transportation requirements, which are specified elsewhere in this solicitation. The guaranteed shipping characteristics will be used only for the purpose of evaluating offers and establishing any liability of the successful offeror for increased transportation costs resulting from actual shipping characteristics which differ from those used for evaluation in accordance with paragraph (a) of this clause.

[End of FAR Clause]

The following information is provided as guidance in filling out the above clause by paragraph. Note: Disregard asterisk (*) in the clause where it appears.

(a)(1)(i) Type of container (mandatory fill-in):

The type of container is defined as an overpack. This is an outer container usually made of steel, wood, or fiber designed to enclose and protect one or more less durable inner containers. When Other is selected you must also complete (a)(1)(ii) Shipping configuration.

(a)(1)(ii) Shipping configuration:

Complete this information when any one dimension of the item is reduced.

(a)(1)(iii) Size of container (mandatory fill-in):

Outer dimensions of the overpack or other described shipping configuration. Must be provided in inches. The cube shall be provided in cubic feet. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(iv) Number of items per container (mandatory fill-in):

The number of units of issue in the overpack or in the other described shipping configuration.

(a)(1)(v) Gross weight of container and contents (mandatory fill-in):

The combined mass of the overpack containing the packing material and the number of units of issue supplied in pounds.

(a)(1)(vi) Palletized/skidded:

Indicate Yes if overpack or other described shipping configuration is attached to pallet or skid to form a unit load for handling.

(a)(1)(vii) Number of containers per pallet/skid:

Only complete this if you answered Yes to (a)(1)(vi). Containers are the number of overpacks or other described shipping configurations attached to a pallet or skid base.

(a)(1)(viii) Weight of empty pallet bottom/skid and sides:

Only complete this if you answered Yes to (a)(1)(vi) or when the weight of the container and contents in (a)(1)(v) above does not include this weight.

(a)(1)(ix) Size of pallet/skid and contents:

Only complete this if you answered Yes to (a)(1)(vi). Indicate weight in pounds and cube in cubic feet of combined overpack or other described shipping configuration and attached pallet or skid. The cube is defined as the volume of space occupied by the unit under consideration computed by multiplying overall exterior length, width, and height.

(a)(1)(x) Number of containers or pallets/skids per railcar:

Only complete this if you have rail capability and the rail car may be fully utilized. Quantity of overpacks or other described shipping configurations that will fit in a fully utilized railcar. Specify length in feet and type (flat, box, gondola, etc.) of railcar.

(a)(1)(xi) Number of containers or pallets/skids per trailer (mandatory fill-in): Quantity of overpacks or other described shipping configurations that will fit in a fully utilized trailer. Specify length in feet and type (flatbed, van, etc.) of trailer. For import/export shipments in ISO/seavan containers indicate quantity of overpacks or other described shipping configurations fully utilizing the container. Specify length in feet of the ISO/seavan containers.

NOTE: "Fully Utilized" means filling to full visible capacity.

<p align="center">CONTINUATION SHEET</p>	<p align="center">Reference No. of Document Being Continued</p> <p align="center">PIIN/SIIN W56HZV-07-C-0375 MOD/AMD</p>	<p align="center">Page 25 of 39</p>
---	--	--

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

move on prepaid commercial bills of lading or other shipping documents to domestic destinations, including air and water terminals. Weight of individual shipments shall be governed by carrier restrictions but shall not exceed 150 pounds by any form of commercial air or 1,000 pounds by other commercial carriers. The Government will reimburse the Contractor for reasonable freight charges.

(b) The Contractor shall annotate the commercial bill of lading as required by the clause of this contract entitled Commercial Bill of Lading Notations.

(c) The Contractor shall consolidate prepaid shipments in accordance with procedures established by the cognizant transportation office. The Contractor is authorized to combine Government prepaid shipments with the Contractor's commercial shipments for delivery to one or more consignees and the Government will reimburse its pro rata share of the total freight costs. The Contractor shall provide a copy of the commercial bill of lading promptly to each consignee. Quantities shall not be divided into mailable lots for the purpose of avoiding movement by other modes of transportation.

(d) Transportation charges will be billed as a separate item on the invoice for each shipment made. A copy of the pertinent bill of lading, shipment receipt, or freight bill shall accompany the invoice unless otherwise specified in the contract.

(e) Loss and damage claims will be processed by the Government.

[End of Clause]

F-12	52.247-4005	SHIPMENT OF SUPPLIES AND DETENTION OF CARRIERS EQUIPMENT	AUG/2003
	(TACOM)		

- (a) Unless otherwise directed, shipment items under this contract in following order of priority:
- (1) Government/Commercial Bill(s) of Lading or US Postal Services;
 - (2) Prepaid Commercial Bill(s) of Lading with transportation charges entered as a separate item on the invoice; or
 - (3) As otherwise instructed when the contract prohibits use of Government funds for transportation costs.

- (b) The Contractor will request:
- (1) Government Bills of Lading and
 - (2) Routing and other instructions, including Defense Transportation Regulation (DTR), DOD Regulation 4500.9-R-Part 2 Cargo Movement, as to the methods of shipment to be followed by the Contractor, or

(c) The Contractor and subcontractor(s) must allow prompt and convenient access of carrier's equipment to loading docks or platforms where the contract items supplies will be loaded. Any charges for detention of carrier's equipment shall be for the account of the Contractor, except when the detention is required or caused by the Government.

[End of Clause]

F-13	52.247-4010	TRANSPORTATION DATA FOR FOB ORIGIN OFFERS	FEB/1994
	(TACOM)		

(a) Provide the following information for us to use in selecting the most favorable mode of shipment. We'll also use this information in our evaluation of transportation costs.

Offeror represents that:

- (1) Facilities for shipping by rail
 - [] are
 - [x] are not

available at the F.O.B. point(s) stated in this solicitation.

- (2) If rail facilities are not available at the F.O.B. point(s), the name and location of the nearest team track is:

_____	_____
(NAME)	(LOCATION)

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(3) Facilities for shipping by water

[] are
[x] are not

available at the F.O.B. point(s) stated in this solicitation.

(4) Facilities for shipping by motor

[x] are
[] are not

available at the F.O.B. point(s) stated in this solicitation.

(5) If there is a Contractor Reimbursable Loading Charge and you didn't include it in the offered unit price in Section B, please indicate it below, per unit:

RAIL:_____/Unit MOTOR: none /Unit WATER:_____/Unit

CAUTION: GIVE THE COST OF REIMBURSABLE LOADING CHARGE (NOT ALREADY IN THE OFFERED UNIT PRICE) ON A PER UNIT BASIS. THE UNIT OF MEASURE IS AS INDICATED ON THE SCHEDULE PAGE, SECTION B, UNDER THE UNIT COLUMN.

(b) We will consider any charge listed above in the overall transportation evaluation of this solicitation. Unless you fill-in the above information for loading charges, we will consider all costs associated with loading to be included in the item price offered in Section B. These costs include: (i) loading, (ii) blocking, (iii) bracing, (iv) drayage, (v) switching, or (vi) any other service necessary to effect delivery F.O.B. carrier's equipment you've indicated as available and we specify at time of shipment.

(c) If rail facilities aren't available at the designated F.O.B. point(s), rail won't be used unless directed by the Administrative Contracting Officer (ACO). If the ACO tells you rail facilities will be used, we'll adjust the contract price by adding the loading charge filled in above for transportation to the nearest rail facility.

(d) IF YOU DO NOT FILL IN AN ADDITIONAL CHARGE FOR RAIL SHIPMENT ABOVE, YOU AGREE THAT THE CONTRACT PRICE ALREADY INCLUDES ALL CHARGES FOR SUCH SHIPMENTS. THEREFORE, SHIPMENT BY RAIL WILL NOT COST US ANY MORE.

[End of Clause]

F-14 52.247-4011 FOB POINT
(TACOM)

SEP/1978

Delivery on F.O.B. origin offers will be F.O.B. Carrier's equipment, wharf, or freight station, at the Government's option, at or near:

(1) Contractor's Plant:	<u>Plymouth</u>	<u>Michigan</u>	<u>48170</u>	<u>Wayne</u>
	(City)	(State)	(ZIP)	(County)

(2) Subcontractor's Plant: none

(City) (State) (ZIP) (County)

[End of Clause]

F-15 52.247-4017 DEPOT ADDRESS FOR THE APPLICABLE MODE OF SHIPMENTS: IN-THE-CLEAR
(TACOM) ADDRESSES

MAY/2004

Rail/ Motor SPLC*	MILSTRIP Address Code	Rail Ship To:	Motor Ship To:	Parcel Post Mail To:
206721/ 209405	W25G1U	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA	Transportation Officer Defense Dist Depot Susquehanna New Cumberland, PA 17070-5001

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 27 of 39
	PIIN/SIIN W56HZV-07-C-0375	MOD/AMD	

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

NOTE: All deliveries to New Cumberland MUST be scheduled at least 10 days prior to the delivery date. The carrier or contractor must call the New Cumberland DDSP customer service number, 800-307-8496 and provide the following information: contract number, item name, National Stock Number, total weight and cube, and vendor. All shipments to this MILSTRIP address code (W25G1U) are for mission stock and they will need to know that as well, but if you have instructions from the Contracting Officer to use MILSTRIP address code W25N14 instead, you must inform the appointment-taker that the delivery is for Consolidation and Containerization Point (CCP) stock. Appointments for FOB Origin shipments should be coordinated with DCMA Transportation.

875670/ 875675	W62G2T	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer XU Def Dist Depot San Joaquin 25600 S Chrisman Rd Rec Whse 10 Tracy, Ca 95376-5000	Transportation Officer Dist Depot San Joaquin P O Box 96001 Stockton, CA 95296-0130
471995/ 471996	W31G1Z	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Bynum, AL	Transportation Officer Anniston Army Depot, Anniston, AL 36201-5021
209741/ 209770	W25G1R	Transportation Officer Letterkenny Army Depot, Culbertson, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA	Transportation Officer Letterkenny Army Depot, Chambersburg, PA 17201-4150
661136/ 661157	W45G19	Transportation Officer Red River Army Depot, Defense, TX	Transportation Officer Red River Army Depot, Texarkana, TX	Transportation Officer Red River Army Depot, Texarkana, TX 75507-5000
764538/ 764535	W67G23	Transportation Officer Tooele Army Depot, Warner, UT	Transportation Officer Tooele Army Depot, Tooele, UT	Transportation Officer Tooele Army Depot, Tooele, UT 84074-5003

***SPLC indicates Standard Point Locator Code.

NOTE: The following is applicable only when so specified in an individual order or delivery increment:

This requirement is a depot replenishment buy, a portion of which is or may be required to fill Direct Support System (DSS) requisitions. Shipment shall be made, as specified, to one or more of:

New Cumberland Army Depot
Red River Army Depot
Sharpe Army Depot

prior to shipments to any other depots as may be designated. When more than one depot is designated for DSS shipments, priority shipments will be made equally to each of the designated destinations.

[End of Clause]

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION G - CONTRACT ADMINISTRATION DATA

LINE	PRON/ AMS CD/ ITEM	OBLG STAT	ACCOUNTING CLASSIFICATION	JOB ORDER NUMBER	ACCOUNTING STATION	OBLIGATED AMOUNT
0001AA	EH7Y1315EH 060015	AA 2	97 X4930AC9D 6D	2571 S20113	W56HZV \$	292,168.00
TOTAL						\$ 292,168.00

SERVICE NAME	TOTAL BY ACRN	ACCOUNTING CLASSIFICATION	ACCOUNTING STATION	OBLIGATED AMOUNT
Army	AA	97 X4930AC9D 6D	2571 S20113	W56HZV \$ 292,168.00
TOTAL				\$ 292,168.00

ACRN	EDI ACCOUNTING CLASSIFICATION				
AA	97	0X0X4930AC9D	S20113	76D0000060015000002571	S20113
		<u>Regulatory Cite</u>	<u>Title</u>		<u>Date</u>
G-1		252.232-7003	ELECTRONIC SUBMISSION OF PAYMENT REQUESTS		JAN/2004
G-2		252.204-7006	BILLING INSTRUCTIONS		OCT/2005

When submitting a request for payment, the Contractor shall--

- (a) Identify the contract line item(s) on the payment request that reasonably reflect contract work performance; and
- (b) Separately identify a payment amount for each contract line item included in the payment request.

[End of Clause]

G-3	52.204-4011 (TACOM)	PAYMENT INSTRUCTIONS FOR THE DEFENSE FINANCE AND ACCOUNTING SERVICE (DFAS)	OCT/2005
-----	------------------------	---	----------

In accordance with DFARS PGI 204.7108, the contract shall be paid in accordance with DFARS PGI 204.7108(d)(5), line item specific by cancellation date.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 29 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION H - SPECIAL CONTRACT REQUIREMENTS

	Regulatory Cite	Title	Date
H-1	252.204-7000	DISCLOSURE OF INFORMATION	DEC/1991
H-2	252.225-7001	BUY AMERICAN ACT AND BALANCE OF PAYMENTS PROGRAM	JUN/2005
H-3	252.225-7002	QUALIFYING COUNTRY SOURCES AS SUBCONTRACTORS	APR/2003
H-4	252.225-7013	DUTY-FREE ENTRY	JUN/2005
H-5	252.225-7033	WAIVER OF UNITED KINGDOM LEVIES	APR/2003
H-6	252.231-7000	SUPPLEMENTAL COST PRINCIPLES	DEC/1991
H-7	252.246-7000	MATERIAL INSPECTION AND RECEIVING REPORT	MAR/2003
H-8	52.204-4005	REQUIRED USE OF ELECTRONIC CONTRACTING	SEP/2004

(a) All contract awards, modifications and delivery orders issued by TACOM will be issued electronically. The contractor has the option to receive these actions either via the Worldwide Web (WWW) or Electronic Data Interchange (EDI). Many provisions/clauses that appear "by reference", meaning only clause titles and regulation site are listed; their full texts can be found at the website <http://farsite.hill.af.mil/>

(b) In order to be eligible to receive an award under this solicitation, the successful offeror must be registered with the Department of Defense (DOD) Central Contractor Registration (CCR). The CCR registration process may be done electronically at the World Wide Web (WWW) site: <http://www.ccr.gov/> . (In order to be registered to use EDI, you must use the long form for registration. Certification information, including information on the EDI 838 TPP, must be furnished to the Contracting Officer within 60 calendar days after contract award to complete networking requirements within the Government.)

(c) Worldwide Web Distribution. The contractor will receive an electronic Notice of the Award, Modification, or Delivery Order via e-mail. If you choose the WWW option, you must download the file from the appropriate TACOM webpage:

Warren: <http://contracting.tacom.army.mil/awd.htm>
Rock Island: <https://aais.ria.army.mil/AAIS/AWDINFO/index.htm>
Picatinny: <http://procnnet.pica.army.mil/dbi/DynCBD/award.cfm>
Red River Army Depot: <http://www.redriver.army.mil/contractingframes/RecentAwards.DPD.cfm>
Anniston Army Depot: <http://www.anadprocnnet.army.mil/>

(d) Electronic Data Interchange. If you choose to receive contract awards, modifications and delivery orders through EDI, they will be delivered electronically via the Federal Acquisition Network (FACNET). Federal Standard Version 3050 of Standard X12 from the American National Standards Institute (ANSI) will be used as the format for these electronic transactions.

(1) You must complete the EDI 838 Trading Partner Profile, and must agree (i) to subcontract with a DoD certified VAN or Value Added Service (VAS) provider, or (ii) to become DoD certified as a Value Added Network (VAN). The EDI 838 Training Partner Profile is contained in the basic CCR registration form and includes portions of the registration form which are titled "Optional".

(2) You must select a VAN from the official DoD approved list. DoD Certified VANs are listed at <http://www.acq.osd.mil/dpap/ebiz/VANs.htm> . If your VAN is later removed from the official list, or if you voluntarily drop your initially selected VAN, then you must switch to a VAN that remains on the official DoD approved list. You must maintain an active account on a DoD approved VAN for the entire duration of the contract, beginning no later than the 60th day after award.

(e) Unless otherwise specified elsewhere in the contract, all data items you are required to provide under this contract must be submitted electronically. Please go to the following webpage for detailed information about submitting your offer electronically: <http://contracting.tacom.army.mil/ebidnotice.htm>

(f) Additional information can be obtained by sending a message to: acqcenweb@tacom.army.mil or by calling (586) 574-7059.

[End of Clause]

H-9	52.245-4000 (TACOM)	ACCOUNTABILITY OF ITEMS UNDER OVERHAUL/MAINTENANCE/REPAIR CONTRACTS	MAY/2001
-----	------------------------	---	----------

The contractor shall, upon receipt of any items specified for overhaul, maintenance or repair, send the following information by email to:

barbra.burns@us.army.mil

This information will account for Government assets during transit and while in the possession of the contractor until they are returned and received by the Government or its representative.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 30 of 39
---------------------------	--	----------------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

(1) Upon receipt of Government assets, notification must be provided within 5 business days detailing the NSN, document number, quantity, and date of receipt for assets sent to the contractor in support of an overhaul/maintenance/repair program.

(2) A monthly report must be submitted showing how many assets were repaired, how many were scrapped and how many were shipped back to the Government under the overhaul/maintenance/repair program.

(3) All shipping documentation accompanying repaired assets returned to the Government must have the following statement annotated in the remarks portion of the shipping document: "RETURN FROM REPAIR, MARK FOR: (the document number under which the assets were received at the contractor location)." NOTE: The quantity shipped under each document number must not exceed the quantity received under that same document number.

The monthly report should be submitted in an Excel spreadsheet form with the following information (see Attachment 001 in Section J):

- NSN
- DOC NO.
- QUANTITY
- CONDITION CODE
- DATE OF RECEIPT
- # SCRAPPED
- # WRONG CONFIGURATION
- # REPAIRED
- # RETURNED TO THE GOVERNMENT

[End of Clause]

H-10	52.246-4026	LOCAL ADDRESSES FOR DD FORM 250 AND WAWF RECEIVING REPORTS	SEP/2006
	(TACOM)		

(a) The Contractor may use either the Material Inspection and Receiving Report (DD 250) or Wide Area Workflow (WAWF) to process receiving reports for inspection, acceptance, and payment. Use only one method per contract; not both.

(b) If you are using the Material Inspection and Receiving Report (DD 250), use one of the following methods to send each DD 250 pertaining to this contract to us:

- (1) Our first preference is for you to use electronic mail (e-mail), using the following e-mail address: DD250@tacom.army.mil
- (2) Our second preference is for you to use data facsimile (datafax) transmission, using this fax number:

(586) 574-7788 and use "DD250 mailbox" in the "to:" block of your fax cover or header sheet.

In either method, do not mix DD250s from more than one contract in a single transmission. That is, you may submit multiple DD250s in a single transmission, but they must all be against the same contract. These copies meet the requirements for the Purchasing Office copy and the Army Inventory Control Manager copy listed in tables 1 and 2 of DFARS Appendix F. The DD250 form may be found, in three different formats, on the World Wide Web at <http://www.dtic.mil/whs/directives/infomgt/forms/forminfo/forminfopage2126.html>

(c) If you are using Wide Area Workflow (WAWF) instead of DD 250s, we may require copies of the WAWF Receiving Report, Bills of Lading, or other documentation to resolve delinquencies, payment issues, or other administrative issues. If this documentation is requested, use the same email address or fax number shown in paragraph (b) above to submit the information. No copies of the WAWF Receiving Report are required unless specifically requested by the PCO, buyer, or other appropriate government official.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 31 of 39
--------------------	---	---------------

Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC

SECTION I - CONTRACT CLAUSES

This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this address: <http://farsite.hill.af.mil/>

[End of Clause]

	Regulatory Cite	Title	Date
I-1	52.202-1	DEFINITIONS	JUL/2004
I-2	52.203-3	GRATUITIES	APR/1984
I-3	52.203-5	COVENANT AGAINST CONTINGENT FEES	APR/1984
I-4	52.203-6	RESTRICTIONS ON SUBCONTRACTOR SALES TO THE GOVERNMENT	SEP/2006
I-5	52.203-7	ANTI-KICKBACK PROCEDURES	JUL/1995
I-6	52.203-8	CANCELLATION, RESCISSION AND RECOVERY OF FUNDS FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-7	52.203-10	PRICE OR FEE ADJUSTMENT FOR ILLEGAL OR IMPROPER ACTIVITY	JAN/1997
I-8	52.203-12	LIMITATION ON PAYMENTS TO INFLUENCE CERTAIN FEDERAL TRANSACTIONS	SEP/2005
I-9	52.204-4	PRINTING/COPYING DOUBLE-SIDED ON RECYCLED PAPER	AUG/2000
I-10	52.208-9	CONTRACTOR USE OF MANDATORY SOURCES OF SUPPLY OR SERVICES	JUL/2004
I-11	52.209-6	PROTECTING THE GOVERNMENT'S INTEREST WHEN SUBCONTRACTING WITH CONTRACTORS DEBARRED, SUSPENDED, OR PROPOSED FOR DEBARMENT	SEP/2006
I-12	52.211-5	MATERIAL REQUIREMENTS	AUG/2000
I-13	52.211-15	DEFENSE PRIORITY AND ALLOCATION REQUIREMENTS	SEP/1990
I-14	52.215-2	AUDIT AND RECORDS - NEGOTIATIONS	JUN/1999
I-15	52.215-8	ORDER OF PRECEDENCE--UNIFORM CONTRACT FORMAT	OCT/1997
I-16	52.215-11	PRICE REDUCTION FOR DEFECTIVE COST OR PRICING DATA--MODIFICATIONS	OCT/1997
I-17	52.215-13	SUBCONTRACTOR COST OR PRICING DATA -- MODIFICATIONS	OCT/1997
I-18	52.215-14	INTEGRITY OF UNIT PRICES	OCT/1997
I-19	52.219-6	NOTICE OF TOTAL SMALL BUSINESS SET-ASIDE	JUN/2003
I-20	52.219-8	UTILIZATION OF SMALL BUSINESS CONCERNS	MAY/2004
I-21	52.219-14	LIMITATIONS ON SUBCONTRACTING	DEC/1996
I-22	52.222-1	NOTICE TO THE GOVERNMENT OF LABOR DISPUTES	FEB/1997
I-23	52.222-19	CHILD LABOR--COOPERATION WITH AUTHORITIES AND REMEDIES	JAN/2006
I-24	52.222-20	WALSH-HEALEY PUBLIC CONTRACTS ACT	DEC/1996
I-25	52.222-21	PROHIBITION OF SEGREGATED FACILITIES	FEB/1999
I-26	52.222-26	EQUAL OPPORTUNITY	APR/2002
I-27	52.222-35	EQUAL OPPORTUNITY FOR SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	SEP/2006
I-28	52.222-36	AFFIRMATIVE ACTION FOR WORKERS WITH DISABILITIES	JUN/1998
I-29	52.222-37	EMPLOYMENT REPORTS ON SPECIAL DISABLED VETERANS, VETERANS OF THE VIETNAM ERA, AND OTHER ELIGIBLE VETERANS	SEP/2006
I-30	52.223-3	HAZARDOUS MATERIAL IDENTIFICATION AND MATERIAL SAFETY DATA	JAN/1997
I-31	52.223-6	DRUG FREE WORKPLACE	MAY/2001
I-32	52.223-14	TOXIC CHEMICAL RELEASE REPORTING	AUG/2003
I-33	52.225-8	DUTY-FREE ENTRY	FEB/2000
I-34	52.225-13	RESTRICTIONS ON CERTAIN FOREIGN PURCHASES	FEB/2006
I-35	52.227-1	AUTHORIZATION AND CONSENT	JUL/1995
I-36	52.227-2	NOTICE AND ASSISTANCE REGARDING PATENT AND COPYRIGHT INFRINGEMENT	AUG/1996
I-37	52.227-3	PATENT INDEMNITY	APR/1984
I-38	52.229-3	FEDERAL, STATE, AND LOCAL TAXES	APR/2003
I-39	52.232-1	PAYMENTS	APR/1984
I-40	52.232-8	DISCOUNTS FOR PROMPT PAYMENT	FEB/2002
I-41	52.232-9	LIMITATION ON WITHHOLDING OF PAYMENTS	APR/1984
I-42	52.232-11	EXTRAS	APR/1984
I-43	52.232-17	INTEREST	JUN/1996
I-44	52.232-25	PROMPT PAYMENT	OCT/2003
I-45	52.232-33	PAYMENT BY ELECTRONIC FUNDS TRANSFER--CENTRAL CONTRACTOR REGISTRATION	OCT/2003
I-46	52.232-23 (ALT 1)	ASSIGNMENT OF CLAIMS (Alternate I version dated April 1984)	JAN/1986
I-47	52.233-1	DISPUTES	JUL/2002
I-48	52.233-3	PROTEST AFTER AWARD	AUG/1996
I-49	52.233-4	APPLICABLE LAW FOR BREACH OF CONTRACT CLAIM	OCT/2004
I-50	52.242-13	BANKRUPTCY	JUL/1995

CONTINUATION SHEET	Reference No. of Document Being Continued		Page 32 of 39
	PIIN/SIIN W56HZV-07-C-0375	MOD/AMD	
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC			

	Regulatory Cite	Title	Date
I-51	52.243-1	CHANGES--FIXED-PRICE	AUG/1987
I-52	52.244-2	SUBCONTRACTS	AUG/1998
I-53	52.244-5	COMPETITION IN SUBCONTRACTING	DEC/1996
I-54	52.245-2	GOVERNMENT PROPERTY (FIXED-PRICE CONTRACTS)	MAY/2004
I-55	52.245-19	GOVERNMENT PROPERTY FURNISHED AS-IS	APR/1984
I-56	52.246-23	LIMITATION OF LIABILITY	FEB/1997
I-57	52.247-1	COMMERCIAL BILL OF LADING NOTATIONS	FEB/2006
I-58	52.247-63	PREFERENCE FOR U.S.-FLAG AIR CARRIERS	JUN/2003
I-59	52.247-68	REPORT OF SHIPMENT (REPSHIP)	FEB/2006
I-60	52.248-1	VALUE ENGINEERING	FEB/2000
I-61	52.249-2	TERMINATION FOR CONVENIENCE OF THE GOVERNMENT (FIXED-PRICE)	MAY/2004
I-62	52.249-8	DEFAULT (FIXED-PRICE SUPPLY AND SERVICE)	APR/1984
I-63	52.253-1	COMPUTER GENERATED FORMS	JAN/1991
I-64	252.203-7001	PROHIBITION ON PERSONS CONVICTED OF FRAUD OR OTHER DEFENSE CONTRACT-RELATED FELONIES	DEC/2004
I-65	252.204-7003	CONTROL OF GOVERNMENT PERSONNEL WORK PRODUCT	APR/1992
I-66	252.209-7004	SUBCONTRACTING WITH FIRMS THAT ARE OWNED OR CONTROLLED BY THE GOVERNMENT OF A TERRORIST COUNTRY per DoD interim rule, Federal Register 27 Mar 98	MAR/1998
I-67	252.211-7005	SUBSTITUTIONS FOR MILITARY OR FEDERAL SPECIFICATIONS AND STANDARDS	NOV/2005
I-68	252.215-7000	PRICING ADJUSTMENTS	DEC/1991
I-69	252.225-7012	PREFERENCE FOR CERTAIN DOMESTIC COMMODITIES	JUN/2004
I-70	252.225-7014	PREFERENCE FOR DOMESTIC SPECIALTY METALS (Alternate I dated April 2003)	JUN/2005
I-71	252.225-7015	RESTRICTION ON ACQUISITION OF HAND OR MEASURING TOOLS	JUN/2005
I-72	252.225-7016	RESTRICTION ON ACQUISITION OF BALL AND ROLLER BEARINGS	MAR/2006
I-73	252.225-7031	SECONDARY ARAB BOYCOTT OF ISRAEL	JUN/2005
I-74	252.225-7041	CORRESPONDENCE IN ENGLISH	JUN/1997
I-75	252.225-7042	AUTHORIZATION TO PERFORM	APR/2003
I-76	252.232-7010	LEVIES ON CONTRACT PAYMENTS	SEP/2005
I-77	252.242-7003	APPLICATION FOR U.S. GOVERNMENT SHIPPING DOCUMENTATION/INSTRUCTIONS	DEC/1991
I-78	252.243-7001	PRICING OF CONTRACT MODIFICATIONS	DEC/1991
I-79	252.243-7002	REQUESTS FOR EQUITABLE ADJUSTMENT	MAR/1998
I-80	252.244-7000	SUBCONTRACTS FOR COMMERCIAL ITEMS AND COMMERCIAL COMPONENTS (DoD CONTRACTS)	NOV/2005
I-81	252.247-7023	TRANSPORTATION OF SUPPLIES BY SEA	MAY/2002
I-82	52.223-7	NOTICE OF RADIOACTIVE MATERIALS	JAN/1997

(a) The Contractor shall notify the Contracting Officer or designee, in writing 60 days prior to the delivery of, or prior to completion of any servicing required by this contract of, items containing either (1) radioactive material requiring specific licensing under the regulations issued pursuant to the Atomic Energy Act of 1954, as amended, as set forth in Title 10 of the Code of Federal Regulations, in effect on the date of this contract, or (2) other radioactive material not requiring specific licensing in which the specific activity is greater than 0.002 microcuries per gram or the activity per item equals or exceeds 0.01 microcuries. Such notice shall specify the part or parts of the items which contain radioactive materials, a description of the materials, the name and activity of the isotope, the manufacturer of the materials, and any other information known to the Contractor which will put users of the items on notice as to the hazards involved (OMB No. 9000-0107).

(b) If there has been no change affecting the quantity of activity, or the characteristics and composition of the radioactive material from deliveries under this contract or prior contracts the Contractor may request that the Contracting Officer or designee waive the notice requirement in paragraph (a) of this clause. Any such request shall-

(1) Be submitted in writing;

(2) State that the quantity of activity, characteristics, and composition of the radioactive material have not changed; and

(3) Cite the contract number on which the prior notification was submitted and the contracting office to which it was submitted.

(c) All items, parts, or subassemblies which contain radioactive materials in which the specific activity is greater than 0.002 microcuries per gram or activity per item equals or exceeds 0.01 microcuries, and all containers in which such items, parts or subassemblies are delivered to the Government shall be clearly marked and labeled as required by the latest revision of MIL-STD 129 in

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 33 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

effect on the date of the contract.

(d) This clause, including this paragraph (d), shall be inserted in all subcontracts for radioactive materials meeting the criteria in paragraph (a) of this clause.

[End of Clause]

I-83 52.204-7 CENTRAL CONTRACTOR REGISTRATION JUL/2006

(a) Definitions. As used in this clause--

"Central Contractor Registration (CCR) database" means the primary Government repository for contractor information required for the conduct of business with the Government.

"Commercial and Government Entity (CAGE) code" means-

- (1) A code assigned by the Defense Logistics Information Service (DLIS) to identify a commercial or Government entity; or
- (2) A code assigned by a member of the North Atlantic Treaty Organization that DLIS records and maintains in the CAGE master file. This type of code is known as an "NCAGE code."

"Data Universal Numbering System (DUNS) number" means the 9-digit number assigned by Dun and Bradstreet, Inc. (D&B) to identify unique business entities.

"Data Universal Numbering System +4 (DUNS+4) number" means the DUNS number assigned by D&B plus a 4-character suffix that may be assigned by a business concern. (D&B has no affiliation with this 4-character suffix.) This 4-character suffix may be assigned at the discretion of the business concern to establish additional CCR records for identifying alternative Electronic Funds Transfer (EFT) accounts (see Subpart 32.11 of the Federal Acquisition Regulation) for the same parent concern.

"Registered in the CCR database" means that-

- (1) The Contractor has entered all mandatory information, including the DUNS number or the DUNS+4 number, into the CCR database;
- (2) The Government has validated all mandatory data fields, to include validation of the Taxpayer Identification Number (TIN) with the Internal Revenue Service (IRS), and has marked the record ``Active''. The Contractor will be required to provide consent for TIN validation to the Government as a part of the CCR registration process.

(b)

(1) By submission of an offer, the offeror acknowledges the requirement that a prospective awardee shall be registered in the CCR database prior to award, during performance, and through final payment of any contract, basic agreement, basic ordering agreement, or blanket purchasing agreement resulting from this solicitation.

(2) The offeror shall enter, in the block with its name and address on the cover page of its offer, the annotation DUNS or DUNS+4 followed by the DUNS or DUNS+4 number that identifies the offerors name and address exactly as stated in the offer. The DUNS number will be used by the Contracting Officer to verify that the offeror is registered in the CCR database.

(c) If the offeror does not have a DUNS number, it should contact Dun and Bradstreet directly to obtain one.

- (1) An offeror may obtain a DUNS number
 - (i) If located within the United States, by calling Dun and Bradstreet at 1-866-705-5711 or via the Internet at <http://www.dnb.com/> ; or
 - (ii) If located outside the United States, by contacting the local Dun and Bradstreet office.
- (2) The offeror should be prepared to provide the following information:
 - (i) Company legal business name.
 - (ii) Tradestyle, doing business, or other name by which your entity is commonly recognized.
 - (iii) Company physical street address, city, state and Zip Code.

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 34 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

(iv) Company mailing address, city, state and Zip Code (if separate from physical).

(v) Company telephone number.

(vi) Date the company was started.

(vii) Number of employees at your location.

(viii) Chief executive officer/key manager.

(ix) Line of business (industry).

(x) Company Headquarters name and address (reporting relationship within your entity).

(d) If the Offeror does not become registered in the CCR database in the time prescribed by the Contracting Officer, the Contracting Officer will proceed to award to the next otherwise successful registered Offeror.

(e) Processing time, which normally takes 48 hours, should be taken into consideration when registering. Offerors who are not registered should consider applying for registration immediately upon receipt of this solicitation.

(f) The Contractor is responsible for the accuracy and completeness of the data within the CCR database, and for any liability resulting from the Governments reliance on inaccurate or incomplete data. To remain registered in the CCR database after the initial registration, the Contractor is required to review and update on an annual basis from the date of initial registration or subsequent updates its information in the CCR database to ensure it is current, accurate and complete. Updating information in the CCR does not alter the terms and conditions of this contract and is not a substitute for a properly executed contractual document.

(1)

(i) If a Contractor has legally changed its business name, doing business as name, or division name (whichever is shown on the contract), or has transferred the assets used in performing the contract, but has not completed the necessary requirements regarding novation and change-of-name agreements in Subpart 42.12, the Contractor shall provide the responsible Contracting Officer a minimum of one business days written notification of its intention to:

(A) Change the name in the CCR database;

(B) Comply with the requirements of Subpart 42.12 of the FAR;

(C) Agree in writing to the timeline and procedures specified by the responsible Contracting Officer.
The Contractor must provide with the notification sufficient documentation to support the legally changed name.

(ii) If the Contractor fails to comply with the requirements of paragraph (g)(1)(i) of this clause, or fails to perform the agreement at paragraph (g)(1)(i)(C) of this clause, and, in the absence of a properly executed novation or change-of-name agreement, the CCR information that shows the Contractor to be other than the Contractor indicated in the contract will be considered to be incorrect information within the meaning of the Suspension of Payment paragraph of the electronic funds transfer (EFT) clause of this contract.

(2) The Contractor shall not change the name or address for EFT payments or manual payments, as appropriate, in the CCR record to reflect an assignee for the purpose of assignment of claims (see FAR Subpart 32.8, Assignment of Claims). Assignees shall be separately registered in the CCR database. Information provided to the Contractors CCR record that indicates payments, including those made by EFT, to an ultimate recipient other than that Contractor will be considered to be incorrect information within the meaning of the Suspension of payment paragraph of the EFT clause of this contract.

(g) Offerors and Contractors may obtain information on registration and annual confirmation requirements via the Internet at <http://www.ccr.gov/> or by calling 1-888-227-2423, or 269-961-5757.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 35 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

United States means the 50 States, the District of Columbia, Puerto Rico, the Northern Mariana Islands, American Samoa, Guam, the U.S. Virgin Islands, and Wake Island.

(b) Except as provided in paragraph (e) of this clause, during the term of this contract, the Contractor shall post a notice, in the form of a poster, informing employees of their rights concerning union membership and payment of union dues and fees, in conspicuous places in and about all its plants and offices, including all places where notices to employees are customarily posted. The notice shall include the following information (except that the information pertaining to National Labor Relations Board shall not be included in notices posted in the plants or offices of carriers subject to the Railway Labor Act, as amended (45 U.S.C. 151-188)).

Notice to Employees

Under Federal law, employees cannot be required to join a union or maintain membership in a union in order to retain their jobs. Under certain conditions, the law permits a union and an employer to enter into a union-security agreement requiring employees to pay uniform periodic dues and initiation fees. However, employees who are not union members can object to the use of their payments for certain purposes and can only be required to pay their share of union costs relating to collective bargaining, contract administration, and grievance adjustment.

If you do not want to pay that portion of dues or fees used to support activities not related to collective bargaining, contract administration, or grievance adjustment, you are entitled to an appropriate reduction in your payment. If you believe that you have been required to pay dues or fees used in part to support activities not related to collective bargaining, contract administration, or grievance adjustment, you may be entitled to a refund and to an appropriate reduction in future payments.

For further information concerning your rights, you may wish to contact the National Labor Relations Board (NLRB) either at one of its Regional offices or at the following address or toll free number:

National Labor Relations Board
Division of Information
1099 14th Street, N.W.
Washington, DC 20570
1-866-667-6572
1-866-316-6572 (TTY)

To locate the nearest NLRB office, see NLRB's website at <http://www.nlr.gov> .

(c) The Contractor shall comply with all provisions of Executive Order 13201 of February 17, 2001, and related implementing regulations at 29 CFR part 470, and orders of the Secretary of Labor.

(d) In the event that the Contractor does not comply with any of the requirements set forth in paragraphs (b), (c), or (g), the Secretary may direct that this contract be cancelled, terminated, or suspended in whole or in part, and declare the Contractor ineligible for further Government contracts in accordance with procedures at 29 CFR part 470, Subpart B--Compliance Evaluations, Complaint Investigations and Enforcement Procedures. Such other sanctions or remedies may be imposed as are provided by 29 CFR part 470, which implements Executive Order 13201, or as are otherwise provided by law.

- (e) The requirement to post the employee notice in paragraph (b) does not apply to--
- (1) Contractors and subcontractors that employ fewer than 15 persons;
 - (2) Contractor establishments or construction work sites where no union has been formally recognized by the Contractor or certified as the exclusive bargaining representative of the Contractor's employees;
 - (3) Contractor establishments or construction work sites located in a jurisdiction named in the definition of the United States in which the law of that jurisdiction forbids enforcement of union-security agreements;
 - (4) Contractor facilities where upon the written request of the Contractor, the Department of Labor Deputy Assistant Secretary for Labor-Management Programs has waived the posting requirements with respect to any of the Contractor's facilities if the Deputy Assistant Secretary finds that the Contractor has demonstrated that--
 - (i) The facility is in all respects separate and distinct from activities of the Contractor related to the performance of a contract; and
 - (ii) Such a waiver will not interfere with or impede the effectuation of the Executive order; or
 - (5) Work outside the United States that does not involve the recruitment or employment of workers within the United States.
- (f) The Department of Labor publishes the official employee notice in two variations; one for contractors covered by the Railway

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 36 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

Labor Act and a second for all other contractors. The Contractor shall--

(1) Obtain the required employee notice poster from the Division of Interpretations and Standards, Office of Labor-Management Standards, U.S. Department of Labor, 200 Constitution Avenue, NW, Room N-5605, Washington, DC 20210, or from any field office of the Department's Office of Labor-Management Standards or Office of Federal Contract Compliance Programs;

(2) Download a copy of the poster from the Office of Labor-Management Standards website at <http://www.olms.dol.gov>; or

(3) Reproduce and use exact duplicate copies of the Department of Labor's official poster.

(g) The Contractor shall include the substance of this clause in every subcontract or purchase order that exceeds the simplified acquisition threshold, entered into in connection with this contract, unless exempted by the Department of Labor Deputy Assistant Secretary for Labor-Management Programs on account of special circumstances in the national interest under authority of 29 CFR 470.3(c). For indefinite quantity subcontracts, the Contractor shall include the substance of this clause if the value of orders in any calendar year of the subcontract is expected to exceed the simplified acquisition threshold. Pursuant to 29 CFR part 470, Subpart B--Compliance Evaluations, Complaint Investigations and Enforcement Procedures, the Secretary of Labor may direct the Contractor to take such action in the enforcement of these regulations, including the imposition of sanctions for noncompliance with respect to any such subcontract or purchase order. If the Contractor becomes involved in litigation with a subcontractor or vendor, or is threatened with such involvement, as a result of such direction, the Contractor may request the United States, through the Secretary of Labor, to enter into such litigation to protect the interests of the United States.

[End of Clause]

I-85 52.223-11 OZONE-DEPLETING SUBSTANCES MAY/2001

(a) Definition. Ozone-depleting substance, as used in this clause, means any substance the Environmental Protection Agency designates in 40 CFR part 82 as--

(1) Class I, including, but not limited to, chlorofluorocarbons, halons, carbon tetrachloride, and methyl chloroform; or

(2) Class II, including but not limited to, hydrochlorofluorocarbons.

(b) The Contractor shall label products which contain or are manufactured with ozone-depleting substances in the manner and to the extent required by 42 U.S.C. 7671j(b), (c), and (d) and 40 CFR Part 82, Subpart E, as follows:

WARNING: Contains (or manufactured with, if applicable) _____ * _____, a substance(s) which harm(s) public health and environment by destroying ozone in the upper atmosphere.

*The Contractor shall insert the name of the substance(s).

[End of Clause]

I-86 52.252-6 AUTHORIZED DEVIATIONS IN CLAUSES APR/1984

(a) The use in this solicitation or contract of any Federal Acquisition Regulation (48 CFR Chapter 1) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the date of the clause.

(b) The use in this solicitation or contract of any DoD FAR Supplement (DFARS) (48 CFR 2) clause with an authorized deviation is indicated by the addition of (DEVIATION) after the name of the regulation.

[End of Clause]

I-87 252.223-7001 HAZARD WARNING LABELS DEC/1991

(a) Hazardous material, as used in this clause, is defined in the Hazardous Material Identification and Material Safety Data clause of this contract.

(b) The Contractor shall label the item package (unit container) of any hazardous material to be delivered under this contract in accordance with the Hazard Communication Standard (29 CFR 1910.1200 et seq). The Standard requires that the hazard warning label conform to the requirements of the standard unless the material is otherwise subject to the labelling requirements of one of the following statutes:

(1) Federal Insecticide, Fungicide and Rodenticide Act;

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 37 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

- (2) Federal Food, Drug and Cosmetics Act;
- (3) Consumer Product Safety Act;
- (4) Federal Hazardous Substances Act; or
- (5) Federal Alcohol Administration Act.

(c) The Offeror shall list which hazardous material listed in the Hazardous Material Identification and Material Safety Data clause of this contract will be labelled in accordance with one of the Acts in paragraphs (b)(1) through (5) of this clause instead of the Hazard Communication Standard. Any hazardous material not listed will be interpreted to mean that a label is required in accordance with the Hazard Communication Standard.

<u>MATERIAL (If None, Insert None.)</u>	<u>ACT</u>

(d) The apparently successful Offeror agrees to submit, before award, a copy of the hazard warning label for all hazardous materials not listed in paragraph (c) of this clause. The Offeror shall submit the label with the Material Safety Data Sheet being furnished under the Hazardous Material Identification and Material Safety Data clause of this contract.

(e) The Contractor shall also comply with MIL-STD-129, Marking for Shipment and Storage (including revisions adopted during the term of this contract).

[End of Clause]

I-88 252.247-7024 NOTIFICATION OF TRANSPORTATION OF SUPPLIES BY SEA MAR/2000

(a) The Contractor has indicated by the response to the solicitation provision, Representation of Extent of Transportation by Sea, that it did not anticipate transporting by sea any supplies. If however, after the award of this contract, the Contractor learns that supplies, as defined in the Transportation of Supplies by Sea clause of this contract, will be transported by sea, the Contractor--

- (1) Shall notify the Contracting Officer of that fact; and
- (2) Hereby agrees to comply with all the terms and conditions of the Transportation of Supplies by Sea clause of this contract.

(b) The Contractor shall include this clause, including this paragraph (b), revised as necessary to reflect the relationship of the contracting parties

- (1) In all subcontracts hereunder, if this contract is a construction contract; or
- (2) If this contract is not a construction contract, in all subcontracts under this contract that are for--
 - (i) Noncommercial items; or
 - (ii) Commercial items that-
 - (A) The Contractor is reselling or distributing to the Government without adding value (generally, the Contractor does not add value to items that it subcontracts for f.o.b. destination shipment);
 - (B) Are shipped in direct support of U.S. military contingency operations, exercises, or forces deployed in humanitarian or peacekeeping operations; or
 - (C) Are commissary or exchange cargoes transported outside of the Defense Transportation System in accordance with 10 U.S.C. 2643.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 38 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

I-89	52.204-4009	MANDATORY USE OF CONTRACTOR TO GOVERNMENT ELECTRONIC COMMUNICATION	MAR/2005
	(TACOM)		

(a) All references in the contract to the submission of written documentation shall mean electronic submission. All electronic submissions shall be in the formats and media described in the website:
<http://contracting.tacom.army.mil/ebidnotice.htm>

(b) This shall include all written unclassified communications between the Government and the Contractor except contract awards and contract modifications which shall be posted on the internet. Return receipt shall be used if a commercial application is available. Classified information shall be handled in full accordance with the appropriate security requirements.

(c) In order to be contractually binding, all Government communications requiring a Contracting Officer signature must be sent from the Contracting Officer's e-mail address. The Contractor shall designate the personnel with signature authority who can contractually bind the contractor. All binding contractor communication shall be sent from this contractor e-mail address(es).

(d) Upon award, the Contractor shall provide the Contracting Officer with a list of e-mail addresses for all administrative and technical personnel assigned to this contract.

(e) Unless exempted by the Procuring Contracting Officer in writing, all unclassified written communication after contract award shall be transmitted electronically.

[End of Clause]

CONTINUATION SHEET	Reference No. of Document Being Continued PIIN/SIIN W56HZV-07-C-0375 MOD/AMD	Page 39 of 39
Name of Offeror or Contractor: LOC PERFORMANCE PRODUCTS INC		

SECTION J - LIST OF ATTACHMENTS

<u>List of</u> <u>Addenda</u>	<u>Title</u>	<u>Date</u>	<u>Number</u> <u>of Pages</u>	<u>Transmitted By</u>
Attachment 001	USED ARMS MONTHLY REPORT	01-MAY-2007	001	EMAIL